



Pack Slip

Pack Slip #



Customer PO #

**Wesco Aircraft Hardware Corp.**27727 Avenue Scott; Valencia, CA 91355
PH: 661 / 775-7200 FAX: /

Sales Order #



Pack Slip #	Date	Page #
10774484	10/20/2016 13:15:56	1 of 2
Customer PO #		
CPE5827		
Sales Order #	Ordered By	
10881029 SO		
Payment Terms		
060 Net 60		
Salesperson	Related Order #	
Peter Woods		
TOTE ID:		9165

Bill To: 103913 (AT003301)A.J. Walter Aviation, Ltd.
The Headquarters
Maydwell Ave, Slinfold
West Sussex
RH13 0AS
United Kingdom**Ship To:** 617872 ()A.J. Walter Aviation, Ltd.
Logistics Centre
The Business Park, Maydwell Avenue
West Sussex
Slinfold
RH13 0AS
United Kingdom

Ship Inst :COL

Carrier: TRAXFedEx Int'l

Item #	Quantities			Part Number / Description	Certifications	Promise Date
	Shipped	Backorder	U/M			

1 80 0 EA AS15001-1P Cert-Mfr's C of C 10/20/2016

LUBE FITTING,STRAIGHT,ZINC ST

Lot # **Manufacturer's Lot #:**
31831469 63541**Manufacturer Name**
Aerospace Products**Lot Qty**
80

Export Classification. EAR ECCN 9A991d

Country Of Origin: US

US Harmonized Schedule Number: 7307.92.30.30 STEEL FITTING

2 10 0 EA AS15001-3P Cert-Mfr's C of C 10/20/2016

LUBE FITTING,45DEG,ZINC ST

Lot # **Manufacturer's Lot #:**
31797810 63630**Manufacturer Name**
Aerospace Products**Lot Qty**
10

Export Classification. EAR ECCN 9A991d

Country Of Origin: US

US Harmonized Schedule Number: 7307.92.30.30 STEEL FITTING

4 5 0 EA EN6114K4X8 Cert-Mfr's C of C 10/20/2016

PIN,100CSK,1STOS,HK1/CT/WHT TI

Lot # **Manufacturer's Lot #:**
31687885 U832890**Manufacturer Name**
Air Industries**Lot Qty**
5

Export Classification. EAR 99

Country Of Origin: US

CERTIFIED TRUE COPY

EASYJET STORES DEPT.

UK 145.01209

Wesco Aircraft®

Wesco Aircraft Hardware Corp.


27727 Avenue Scott; Valencia, CA 91355
PH: 661/775-7200 FAX: /

Pack Slip

Pack Slip #	Date	Page #
10774484	10/20/2016	2 of 2
Sales Order #	Ship To #	
10881029 SO	617872 ()	
Customer PO#		
CPE5827		
Certifications		Promise Date

Item #	Quantities			Part Number / Description	Certifications	Promise Date
	Shipped	Backorder	U/M			
5	50	0	EA	HL111VF6-3	TITANIUM HILOK BOLT	10/20/2016
US Harmonized Schedule Number: 8108.90.30.60						

Lot # 30860431 A000042074-0000
Manufacturer's Lot #: 30860431 A000042074-0000
Manufacturer Name: SPS Technologies Ltd.



Export Classification: EAR ECCN 9A991d

Country Of Origin: GB

US Harmonized Schedule Number: 8108.90.30.60 TITANIUM HILOK BOLT

Comments: *****Orders must be INVOICED PRIOR TO SHIPMENT*****
US FUNDS
Released in accordance with AS9120/ISO 9001:2008 requirements
FREIGHT ACCOUNT NUMBER: 124277507

Lot Qty

50



Export Statement

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.

CERTIFIED TRUE COPY

EASYJET STORES DEPT.
UK 145.01209

Certificate of Conformance:

Wesco Aircraft certifies that all products are of new manufacture. Documentation from the manufacturer certifies that the product meets all applicable Government, Customer and/or Manufacturer specifications and requirements. Wesco certifies that the whole of the supplies detailed hereon have been received under cover of the Release Certificate quoted above and are in the same condition when received. This documentation is maintained on file permanently and available upon request.

Total Weight

Total # Boxes

Signed: _____

Benito Carlos Dominguez
Executive Director Global Quality Systems

We hereby certify that no returns will be accepted without WESCO Returned Material Authorization number. Only lot traceable material will be accepted for return.

Wesco's standard terms and conditions can be found at https://www.wescoair.com/eng/company/Downloads/Wesco_Aircraft_Terms_and_Conditions_of_Sale.pdf and, except as explicitly agreed by Wesco and the buyer in a writing signed by both parties, shall be applicable to, and deemed incorporated into this order. These terms and conditions shall govern the order notwithstanding any other terms and conditions that were included in the order by the buyer. Acceptance of the order shall be deemed an acceptance of these terms and conditions and, except as expressly agreed by Wesco and the buyer in a writing signed by both parties, these terms and conditions shall supersede, nullify and void any other terms, conditions, representations, understandings, in oral or written form.

12570 Knott Street
Garden Grove, CA 92841

Certification of Chemical and Physical Test

1186264

Products identified on this certificate have been manufactured, tested and inspected in accordance with, and unless otherwise noted below, conform in all respects to the applicable drawings, specification and/or standards.

Country of Origin: USA

Purchase Order Date: 12/17/2015

Customer WESCO AIRCRAFT				0077025				Date of Certification 5/7/2016				Packing Slip No. 000000000507063			
Purchase Order 1790208				Part Number EN6114K4X8				Revision P8				Prod Order/ Lot Number U832890			
Customer Part Number				Mfg. Date N/A				Lot Size 16,125				Quantity Shipped 14,179			
Procurement Specification EN6116, ED. P3,				Heat Treat Specification SOLUTION AMS-H-81200- PB.FAST											
Finish Specification EN 4473 - AIC				Lubrication Specification EN 6117											
Non-destructive Testing Specification ASTM E1417- HADD CO.								Sample or 100% SAMPLE							
Material 6-4 Ti				Material Specification AMS4928				Heat No. B4N07				Supplier ALLVAC, USA			
C	.022	Mn	P	S	Si	Ni	Cr	Mo	O2	.15					
Va	3.88	Ti	BAL	Al	6.08	N2	.012	Fe	.18	B	Cb+T	Cu	Co		
Mo		Ca	Pb	Bi	Se	Sn	Y	<.0009	H2	.0021	Cb				
Ta											Hardness NO RC				
Micro/Macro Structure Satisfactory		Decarburization NIL		Discontinuities Acceptable		ACCEPT		Work Effect Satisfactory		Grain Flow (Hd. thd) Satisfactory		Finish Part H2 ppm 28.8 PPM			
Double Shear Strength				Ultimate Tensile Strength				Tension-Tension Fatigue							
Pounds		Results		Pounds		Locations of Failure		Life Cycles		Locations of Failure					
						Too Short				Too Short					
99.34 KSI															
99.54 KSI															
99.24 KSI															
98.58 KSI															
98.66 KSI															
99.41 KSI															
98.92 KSI															
99.11 KSI															
99.57 KSI															
98.96 KSI															
99.05 KSI															
98.53 KSI															
98.39 KSI															
98.87 KSI															
99 KSI															
MIN. REQ	95 KSI	MAX REQ	NR	MIN. REQ	TOO SHO	MAX REQ	NR	AVE. LIFE	NR	AVE. REQ	NR	MIN. REQ	TOO SHOR		
Ka	SEE NOTE	X1-KaS	NR	Ka	NR	X1-KaS	NR	High Load	NR	Low Load					
Stress Rupture				Torque Testing				Stress Durability							
Temp:				Sample Size:		50		Sample Size:							
Load:				Torque		30 "F		Load:		Torque		Sustained Load			
Time:		Hours						Time:				Hours			
No failures.				No failures.				NDT Results - Satisfactory							

50 MICROS PASSED

THREADS WERE INSPECTED PER AS8879

PLATING THICKNESS .00031-.00039 ADHESION PASSED

AGE PER AMS-H-81200- PB. FASTENER

THE PRODUCTS SUPPLIED HAVE BEEN
MANUFACTURED, INSPECTED AND
TESTED TO THE REQUIREMENTS OF
AUK/SA/001-3
(AIRBUS SAS APPROVAL No. 100048)

AIR INDUSTRIES CO.

ANDRES DIAZ
REUS DSQR INSPECTOR

MAY 08 2016

Form # 153-133-1 Rev. C 2/2019

Gloria Palomino, Certification Clerk

Products identified on this certificate have been manufactured, tested and inspected in accordance with, and unless otherwise noted below, conform in all respects to the applicable drawings, specification and/or standards.

Country of Origin: USA

Purchase Order Date: 12/17/2015

Customer WESCO AIRCRAFT				0077025		Date of Certification 5/7/2016		Packing Slip No. 000000000507063	
Purchase Order 1790208			Part Number EN6114K4X8			Revision P8		Prod Order/ Lot Number U832890	
Customer Part Number				Mfg. Date N/A		Lot Size 16,125		Quantity Shipped 14,179	
Procurement Specification EN6116, ED. P3,				Heat Treat Specification SOLUTION AMS-H-81200- PB.FAST					
Finish Specification EN 4473 - AIC				Lubrication Specification EN 6117					
Non-destructive Testing Specification ASTM E1417- HADD CO.				Sample or 100% SAMPLE					
Material 6-4 Ti		Material Specification AMS4928		Heat No. B4N07		Supplier ALLVAC, USA			
C	.022	Mn	P	S	Si	Ni	Cr	Mo	O2 .15
Va	3.88	Ti	BAL	Al 6.08	N2 .012	Fe .18	B	Cb+T	Cu
Mo		Ca	Pb	Bi	Se	Sn	Y <.0009	H2 .0021	Cb
Ta				Hardness NO RC					
Micro/Macro Structure Satisfactory		Decarburization NIL		Discontinuities ACCEPT		Work Effect Satisfactory		Grain Flow (Hd. thd) Satisfactory	
						Finish Part H2 ppm		28.8 PPM	
Double Shear Strength				Ultimate Tensile Strength				Tension-Tension Fatigue	
Pounds		Results		Pounds		Locations of Failure		Life Cycles	
								Locations of Failure	
99.06 KSI									
99.12 KSI									
98.67 KSI									
98.68 KSI									
98.51 KSI									
98.85 KSI									
100.8 KSI									
100.9 KSI									
98.77 KSI									
98.89 KSI									
99.11 KSI									
99.27 KSI									
99.14 KSI									
98.77 KSI									
98.84 KSI									
MIN. REQ 95 KSI				MIN. REQ TOO SHO				AVE. LIFE NR	
MAX REQ NR				MAX REQ NR				AVE. REQ NR	
Ka SEE NOTE				Ka NR				High Load NR	
X1-KaS NR				X1-KaS NR				Low Load NR	
Stress Rupture				Torque Testing				Stress Durability	
Temp:				Sample Size:				Sample Size:	
Load:				Torque				Torque _____ Sustained Load	
Time:				30 "#				Time:	
Hours				No failures.				Hours	
No failures.				No failures.				NDT Results - Satisfactory	

50 MICROS PASSED

THREADS WERE INSPECTED PER AS8879

PLATING THICKNESS .00031-.00039 ADHESION PASSED

AGE PER AMS-H-81200- PB. FASTENER

THE PRODUCTS SUPPLIED HAVE BEEN
MANUFACTURED, INSPECTED AND
TESTED TO THE REQUIREMENTS OF
AUK/SA/001-3
(AIRBUS SAS APPROVAL No. 100048)

WAC
69



12570 Knott Street
Garden Grove, CA 92641

Certification of Chemical and Physical Test

1186264

Products identified on this certificate have been manufactured, tested and inspected in accordance with, and unless otherwise noted below, conform in all respects to the applicable drawings, specification and/or standards.

Country of Origin: USA

Purchase Order Date: 12/17/2015

Customer WESCO AIRCRAFT		0077025		Date of Certification 5/7/2016		Packing Slip No. 000000000507063									
Purchase Order 1790208		Part Number EN6114K4X8		Revision P8		Prod Order/ Lot Number U832890									
Customer Part Number		Mfg. Date N/A		Lot Size 16,125		Quantity Shipped 14,179									
Procurement Specification EN6116, ED. P3,		Heat Treat Specification SOLUTION AMS-H-81200- PB.FAST													
Finish Specification EN 4473 - AIC		Lubrication Specification EN 6117													
Non-destructive Testing Specification ASTM E1417- HADD CO.		Sample or 100% SAMPLE													
Material 6-4 Ti		Material Specification AMS4928		Heat No. B4N07		Supplier ALLVAC, USA									
C	.022	Mn	P	S	Si	Ni	Cr	Mo	O2	.15					
Va	3.88	Ti	BAL	Al	6.08	N2	.012	Fe	.18	B	Cb+T	Cu	Co		
Ma		Ca		Pb		Bi		Se		Sn	Y	<.0009	H2	.0021	Cb
Ta										Hardness NO RC					
Micro/Macro Structure Satisfactory		Decarburization NIL		Discontinuities Acceptable		ACCEPT		Work Effect Satisfactory		Grain Flow (Hd. thd) Satisfactory		Finish Part H2 ppm 28.8 PPM			
Double Shear Strength				Ultimate Tensile Strength				Tension-Tension Fatigue							
Pounds		Results		Pounds		Locations of Failure		Life Cycles		Locations of Failure					
98.54 KSI															
98.78 KSI															
99.37 KSI															
99.18 KSI															
99.53 KSI															
99.27 KSI															
99.04 KSI															
99.53 KSI															
99.38 KSI															
98.99 KSI															
98.89 KSI															
98.7 KSI															
99.17 KSI															
98.8 KSI															
99.19 KSI															
MIN. REQ 95 KSI		MAX REQ NR		MIN. REQ TOO SHO		MAX REQ NR		AVE. LIFE NR		AVE. REQ NR		MIN. REQ TOO SHOR			
Ka SEE NOTE		X1-KaS NR		Ka NR		X1-KaS NR		High Load NR		Low Load NR					
Stress Rupture				Torque Testing				Stress Durability							
Temp:				Sample Size: 50				Sample Size:							
Load:				Torque 30 "#				Torque Sustained Load							
Time:								Time:				Hours			
No failures.				No failures.				NDT Results - Satisfactory							

50 MICROS PASSED

THREADS WERE INSPECTED PER AS8879

PLATING THICKNESS .00031-.00039 ADHESION PASSED

AGE PER AMS-H-81200- PB. FASTENER

THE PRODUCTS SUPPLIED HAVE BEEN
MANUFACTURED, INSPECTED AND
TESTED TO THE REQUIREMENTS OF
AUK/SA/001-3
(AIRBUS SAS APPROVAL No. 100048)

WAC
69

Gloria Palomino, Certification Clerk



12570 Knott Street
Garden Grove, CA 92841

1186264

Products identified on this certificate have been manufactured, tested and inspected in accordance with, and unless otherwise noted below, conform in all respects to the applicable drawings, specification and/or standards.

Purchase Order Date: 12/17/2015

[illegible]

50 MICROS PASSED

THREADS WERE INSPECTED PER AS8879

PLATING THICKNESS .00031-.00039 ADHESION PASSED

AGE PER AMS-H-81200- PB. FASTENER

THE PRODUCTS SUPPLIED HAVE BEEN
MANUFACTURED, INSPECTED AND
TESTED TO THE REQUIREMENTS OF
AUK/SA/001-3

(AIRBUS SAS APPROVAL No. 100048)



Form # 153-133-1 Rev. C 2/20/14

Gloria Palomino, Certification Clerk