

**Alcoa
Fastening
Systems & Rings**



Packing Slip



Packing Slip: 9948130882

Page: 1

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack	Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
11/17/15	F483539	OSPE14				

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
4-1	C09023 F54762-4CD2	EA	6,000	6,000

C/I: BACN10KE4B2CD **Rev. AK**

Cust Date: 01/08/15

PO Item #: 2

Kay Date: 12/30/14

*** TSO C-148 APPVD PART. TSO LABEL REQ'D ***

Lot: m037226-000

COO:UNITED STATES

Waybill: _____

ECCN:EAR99 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0060

The export classification appears above. You are responsible for all related export license requirements.

MFG C OF C CHEM & PHYS TEST REPORT REQ
CERT CHARGES ON 5 INVOICE WITH #4

SHIP VIA : FED EX GRD

BUYER: CRISTINA

PHONE:

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. **This document must not be reproduced except in full and relates only to the items tested.**

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653

Eagle Products: Cage Code 66776

Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

**Alcoa
Fastening
Systems & Rings**



Packing Slip



Packing Slip: 9948130882

Page: 2

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

=====

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
11/17/15	F483539	OSPE14			

=====

=====

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
----------	------	-----	-------------	-------------

=====

MATERIAL COMPLIES WITH DFARS 252.225-700
9 PREFERENCE FOR DOMESTIC SPECIALTY
METALS" WITH ITS ALTERNATE 1.
***SHIP VIA FEDX GRD COLLECT ACCT# 0331-
0149-0 IF 150 LBS OR MORE:SHIP FED
EX FREIGHT ECONOMY COLLECT ACCT# 018757.

DO NOT SHIP BY ANY OTHER WITHOUT PROPER
WRITTEN AUTHORIZATION.

ALLOWABLE SHIPPING TOLERANCE = +0%-0 %.

** BAR CODE PER QAP 33 CLAUSE P REQUIRED

** QAP 33.0 REV J CLAUSES: A,A.1,B,C,E,H
,N,P,U,V. CLAUSE A.3 GENERAL TERMS
APPLIES. CLAUSE "G.1" APPLY

REV:AJ

BE REL # Y9YH0SPE14

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Keynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

**Alcoa
Fastening
Systems & Rings**



Packing Slip



Packing Slip: 9948143806

Page: 1

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

=====

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
05/16/16	F497432	OWSL89			

=====

=====

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
4-1	C09033 F54762-4CD3	EA	5,000	4,167

=====

C/I: BACN10KE4B3CD
PO Item #: 4

Cust Date: 08/26/15
Kay Date: 08/19/15

*** TSO C-148 APPVD PART. TSO LABEL REQ'D ***

Lot: M039297-000

COO:UNITED STATES

Waybill: _____

ECCN:EAR99 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0060

The export classification appears above. You are responsible for all related export license requirements.

MFG C OF C CHEM & PHYS TEST REPORT REQ
CHARGES ON LINE # 5 INVOICE WITH LINE
4

SHIP VIA : FED EX GRD

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

Alcoa Fastening Systems & Rings



Packing Slip



Packing Slip: 9948143806

Page: 2

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

=====

Pack Date	Order #	Cust PO	Ship Via	Weight Pkgs #
05/16/16	F497432	OWSL89		

=====

=====

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
----------	------	-----	-------------	-------------

=====

BUYER: DAVID TOWNSEND PHONE:
MATERIAL COMPLIES WITH DFARS 252.225-700
9 PREFERENCE FOR DOMESTIC SPECIALTY
METALS" WITH ITS ALTERNATE 1.
***SHIP VIA FEDX GRD COLLECT ACCT# 0331-
0149-0 IF 150 LBS OR MORE:SHIP FED
EX FREIGHT ECONOMY COLLECT ACCT# 018757.

DO NOT SHIP BY ANY OTHER WITHOUT PROPER
WRITTEN AUTHORIZATION.
ALLOWABLE SHIPPING TOLERANCE = +0%-0 %.
** BAR CODE PER QAP 33 CLAUSE P REQUIRED

** QAP 33.0 REV J CLAUSES: A,A.1,B,C,E,G
.1,H,N,P,U,V. CLAUSE A.3 GENERAL
TERMS APPLIES.
"G.1" CLAUSESUPPLIER MUST HAVE A VALID F
IRST ARTICLE INSPECTION REPORT
COMPLIANT TO AS9102 ON FILE AND AVAILABLE
UPON REQUEST

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

**Alcoa
Fastening
Systems & Rings**



Packing Slip



Packing Slip: 9948143806

Page: 3

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

=====

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
05/16/16	F497432	OWSL89			

=====

=====

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
REV. AJ	RELEASE # BQ8GOWSL89			
	chem & phys certs			

=====

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY



AEROSPACE HI-SHEAR CORPORATION
2600 SKYPARK DRIVE
TORRANCE
CA 90509-2975

CERTIFIED TEST REPORT

Certificate No 0000147301 Lot No 8135788

Date : 25-Jan-2017 Page :1(2)



PREVENT FRAUD

This certificate must be reproduced in its entirety, not in part. Any alteration or misuse of this certificate, or any unauthorized rework or modification of Hi-Shear products voids all warranties and may lead to civil damages and/or criminal penalties.

LISI AEROSPACE Hi-Shear Corporation does certify that all parts and materials on this shipment, unless otherwise noted, conform to the requirements, of applicable drawings, specifications and/or standards as set forth by the above referenced purchase order. All inspection records, physical and chemical test reports and special process certifications (if applicable) are on file at LISI AEROSPACE Hi-Shear Corporation and are available for review and examination upon request

Customer Name & Address

KLX INC
9835 NW 14TH STREET
MIAMI, FL 33172

Item No	5313697	Drawing Standard	BACB30NY	PO Number / Line	003BB64 / 1
Part Number/REV	BACB30NY10K6	BG	Procurement Spec	BPS-F-67	AR
Part Type	PIN	Qty Shipped	2373 PCE	Customer PO Date	14-Jun-2016
		Mfg Lot Size	4129 PCE	Lisi Order Number/Line	0061055442 / 1
Customer	KLX INC	Mfg. Date	05-May-2015	Delivery No	11982492
Customer Part	BACB30NY10K6	Rev	BG	Certificate No	0000147301
Customer Part 2		Rev 2			
Customer Part 3		Rev 3			
Customer Part 4		Rev 4			
Customer Part 5		Rev 5			

Raw Material Composition

Item No	3R0339	Lot Number	1504105735
Part Number	W Ti64 07.87[0.310]	Heat Number	8H40899
Description	TITANIUM, WIRE, 6AL-4V LUBE	Material Spec	AMS4967L
Supplier	DYNAMET	Melt Source	RTI NILES

Alloy Verified Date:

10-Apr-2015

Metallurgical Exam

Test ID	Spec Minimum	Spec Maximum	Results	U/M	Operator
MICRO EXAM SAMPLE SIZE			8	N/A	0924
MICRO EXAM			ACCEPT	N/A	0924
THREADS SAMPLE SIZE			8	N/A	0924
THREADS			ACCEPT	N/A	0924
COATING/PLATING THICKNESS SAMPLE SIZE			8	N/A	0924
COATING/PLATING THICKNESS	0.0002	0.0005	.0003	ins	0924
COATING/PLATING THICKNESS	0.0002	0.0005	.0004	ins	0924
ADHESION SAMPLE SIZE			5	N/A	0924
ADHESION			ACCEPT	N/A	0924
BROACH SAMPLE SIZE			8	N/A	0924
BROACH			ACCEPT	N/A	0924



AEROSPACE HI-SHEAR CORPORATION
2600 SKYPARK DRIVE
TORRANCE
CA 90509-2975

CERTIFIED TEST REPORT

Certificate No 0000147301 Lot No 8135788

Date : 25-Jan-2017 Page :2(2)

HYDROGEN SAMPLE SIZE		1	N/A	09241
HYDROGEN	125	14	ppm	09241
PERMISSABLE LAPS ON TOP OF HEAD- DEPTH:	0.010	0.000	ins	09241

Mechanical Tests					
Test ID:	Spec Minimum:	Spec Maximum:	Result:	U/M:	Operator
TORSIONAL TEST SAMPLE SIZE			8	N/A	09241
TORSIONAL TEST			ACCEPT	N/A	09241
REQUIREMENT: 70 IN LBS MIN		TESTED BOTH DIRECTION CW & CCW			

Process Specification			
Process:	Per Specification	Type	Rev
HEAT TREAT PER:	AMSH81200		D
FLUORESCENT PENETRANT INSPECT PER	ASTM E1417/E1417M		13
ALUMINUM COATING PER:	BMS10-85	TY I CL A	T
PAINT IDENTIFICATION PER:	BACB30NY	COLOR BLACK	BG
CETYL ALCOHOL PER:	AS87132	TY I GRADE B	R12

Remarks

The parts contained in this shipment have been manufactured and inspected in accordance with TSO-C148, when TSO-C148 is applicable. The conditions and tests required for TSO approval are minimum performance standards set in the manufacture design. Aircraft fasteners approved under TSO are not necessarily interchangeable with other aircraft fasteners. Fasteners of similar dimensional properties may have widely varying performance and metallurgical properties. Substitution of parts may only be done if acceptable to or approved by the Administrator. Threads are manufactured and inspected in accordance with the latest revision of AS8879 and/or per applicable customer drawing.

Name and title

RMACIAS

Rebeca MACIAS, Quality Administrator

Authorized Signature

Date

17-Aug-2015

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948111528

Page: 1

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

=====

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
02/09/15	F494844	0WHX03			

=====

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
1-1	C08996 F54762-3DL6	EA	25,000	24,500

C/I: BACN10KE3B6CM
PO Item #: 1

REV. AJ

Cust Date: 02/23/15
Kay Date: 02/16/15

*** TSO C-148 APPVD PART. TSO LABEL REQ'D ***

Lot: M029698-000

COO:UNITED STATES

Waybill:

ECCN:9A991 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0060

The export classification appears above. You are
responsible for all related export license
requirements.

MFG C OF C CHEM & PHYS TEST REPORT REQ
CHARGES ON LINE #2 & #3 INVOICE WITH LI
NE #1

SHIP VIA :FED EX GROUND

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Keynar Products: Cage Code 15653

Eagle Products: Cage Code 66776

Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948111528

Page: 2

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
02/09/15	F494844	0WHX03			

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
----------	------	-----	-------------	-------------

BUYER: DAVID TOWNSEND
MATERIAL COMPLIES WITH DFARS 252.225-700

9 PREFERENCE FOR DOMESTIC SPECIALTY
METALS" WITH ITS ALTERNATE 1.

***SHIP VIA FEDX GRD COLLECT ACCT# 0331-
0149-0 IF 150 LBS OR MORE: SHIP FED
EX FREIGHT ECONOMY COLLECT ACCT# 018757.

DO NOT SHIP BY ANY OTHER WITHOUT PROPER
WRITTEN AUTHORIZATION.

ALLOWABLE SHIPPING TOLERANCE = +0%-0 %.

** BAR CODE PER QAP 33 CLAUSE P REQUIRED

** QAP 33.0 REV J CLAUSES: A, A.1, B, C, E, G
.1, H, N, P, U, V. CLAUSE A.3 GENERAL

TERMS APPLIES.

"G.1" CLAUSES SUPPLIER MUST HAVE A VALID F
IRST ARTICLE INSPECTION REPORT

COMPLIANT TO AS9102 ON FILE AND AVAILABLE

UPON REQUEST

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948111528

Page: 3

Bill To: 5574
KLX INC.
ATTN: ACCOUNTS PAYABLE
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
KLX INC
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date Order # Cust PO Ship Via Weight Pkgs #
02/09/15 F494844 0WHX03

Line/Rel Item U/M Qty Ordered Qty To Pack

REV. AJ
RELEASE #D12X0WHX03
chem & phys certs

Kaynar Products: Cage Code 15653

ALCOA GLOBAL FASTENERS, INC.

Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

CERTIFICATE OF CONFORMANCE
This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948062139

Page: 1

Bill To: 5574
B/E AEROSPACE, INC.
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
B/E AEROSPACE CONSUM MGMT
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
05/23/13	F436417	OJLP99			

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
4-1	C09056 F54762-4DL5	EA	12,500	4,244

C/I: BACN10KE4B5CM
PO Item #: 4

Cust Date: 06/03/13
Kay Date: 05/20/13

*** TSO C-148 APPVD PART. TSO LABEL REQ'D ***

Lot: 5851100-000 COO:UNITED STATES

Waybill: ECCN:9A991 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0060

The export classification appears above. You are responsible for all related export license requirements.

MFG C OF C CHEM & PHYS TEST REPORT REQ
CHARGES ON LINE # 5 INVOICE WITH LINE
4

SHIP VIA : FED EX GRD

BUYER: JOSE GARCIA

PHONE:

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948062139

Page: 2

Bill To: 5574
B/E AEROSPACE, INC.
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
B/E AEROSPACE CONSUM MGMT
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

=====

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
05/23/13	F436417	0JLP99			

=====

=====

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
----------	------	-----	-------------	-------------

=====

MATERIAL COMPLIES WITH DFARS 252.225-700
9 PREFERENCE FOR DOMESTIC SPECIALTY
METALS" WITH ITS ALTERNATE 1.

***SHIP VIA FEDX GRD COLLECT ACCT# 0331-
0149-0 IF 150 LBS OR MORE:SHIP FED
EX FREIGHT ECONOMY COLLECT ACCT# 018757.

DO NOT SHIP BY ANY OTHER WITHOUT PROPER
WRITTEN AUTHORIZATION.

ALLOWABLE SHIPPING TOLERANCE = +0%-0 %.

** BAR CODE PER QAP 33 CLAUSE P REQUIRED

** QAP 33.0 REV F CLAUSES: A,A.1,B,C,E,H
,P,U,V. CLAUSE A.3 GENERAL TERMS
APPLIES.

"G.1" CLAUSESUPPLIER MUST HAVE A VALID F
IRST ARTICLE INSPECTION REPORT
COMPLIANT TO AS9102 ON FILE AND AVAILBLE

UPON REQUEST
chem & phys certs

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653

Eagle Products: Cage Code 66776

Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF



12570 Knott Street
Garden Grove, CA 92841
A PCC Company

Certification of Chemical and Physical Test

849910

Products identified on this certificate have been manufactured, tested and inspected in accordance with, and unless otherwise noted below, conform in all respects to the applicable drawings, specifications and/or standards.

Country of Origin USA

Purchase Order Date: 6/29/2012

Customer B/E AEROSPACE INC.		0056100		Date of Certification 8/18/2012		Packing Slip No. 000000000343729											
Purchase Order OJLW10		Part Number BACB30ZE4-12		Revision REV F		Prod Order/Lot Number U813307											
Customer Part Number		Mfg. Date N/A		Lot Size 5,644		Quantity Shipped 5,000											
Procurement Specification BPS-F-69, REV BD, CL. 95SC4				Heat Treatment Specification AMS-H-6875													
Finish Specification AMS-QQ-P-416, TY II, CL 2				Lubrication Specification													
Non-destructive Testing Specification ASTM E1417						Sample or 100% SAMPLE											
Material A286		Material Specification AMS5737		Heat No. D6124		Supplier LATROBE USA											
C	.031	Mn	.17	P	.013	S	<.001	Si	.17	Ni	24.76	Cr	14.21	Mo	1.20	O2	
Va	.26	Ti	2.19	Al	.24	N2		Fe		B	.007	Cb+Ta		Cu	.06	Co	.06
Mg		Ca		Pb		Bi		Se		Sn		Y		H2		Cb	
Ta																	
Micro/Macro Structure Satisfactory		Decarburization NIL		Discontinuities Acceptable		.002		Work Effect Satisfactory		Grain Flow (Hd, thd) Satisfactory		Finish Part H2 ppm					
Double Shear Strength				Ultimate Tensile Strength				Tension-Tension Fatigue									
Pounds		Results		Pounds		Location of Failure		Life Cycles		Location of Failure							
10100				4620		Head Failure				Not Rqd							
10000				4620		Head Failure											
10060				4670		Head Failure											
10110				4640		Head Failure											
10140				4610		Head Failure											
10000				4620		Head Failure											
10050				4650		Head Failure											
10110				4540		Head Failure											
10160				4620		Head Failure											
10120				4670		Head Failure											
Min. Req. 9300		Max. Req. NR		Min. Req. 3200		Max. Req. NR		Ave. Life NR		Ave. Req. NR		Min. Req. NOT REQD					
Ka 2.34		X1-KaS 9955.29		Ka 2.34		X1-KaS 4539		High Load NR		Low Load NR							
Stress Rupture				Torque Testing				Stress Durability									
Temp:		Load:		Sample Size: 16		Torque		Sample Size:		Torque		Sustained Load		Load:		Time:	
Hours		Hours		35 "#		No failures.		Hours		Hours		Hours		Hours		Hours	
No failures.				No failures.				NDT Results - Satisfactory									

16 MICROS PASSED

BPS MFG. DATE : 7/24/2012

Type of Part: BOLT
ALLOY VERIFICATION PERFORMED

THREADS WERE INSPECTED PER AS8879
PLATING THICKNESS .00041-.00044 ADHESION PASSED
SALT SPRAY TEST PER NASM1312-1 FOR 4 HOURS: PASSED
MATERIAL IN COMPLIANCE WITH DFAR 252.225-7009

"THE PARTS CONTAINED IN THIS SHIPMENT HAVE BEEN MANUFACTURED AND INSPECTED IN ACCORDANCE WITH TSO-C144. THE CONDITIONS AND TESTS REQUIRED FOR TSO APPROVAL OF THIS ARTICLE ARE MINIMUM PERFORMANCE STANDARDS AIRCRAFT FASTENERS APPROVED UNDER THIS TSO ARE NOT NECESSARILY INTERCHANGEABLE WITH OTHER AIRCRAFT FASTENERS APPROVED UNDER THIS TSO. FASTENERS OF SIMILAR DIMENSIONAL PROPERTIES MAY HAVE WIDELY VARYING PERFORMANCE AND METALLURGICAL PROPERTIES SUBSTITUTION OF PARTS MAY ONLY BE DONE IF ACCEPTABLE TO OR APPROVED BY THE ADMINISTRATOR."

Lucy Serna, Certification Clerk

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948088280

Page: 1

Bill To: 5574
B/E AEROSPACE, INC.
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
B/E AEROSPACE CONSUM MGMT
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
04/16/14	F484402	OTBV64			

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
1-1	C09036 F54762-4DL3	EA	5,000	5,000

C/I: BACN10KE4B3CM
PO Item #: 1

Cust Date: 04/22/14
Kay Date: 04/15/14

*** TSO C-148 APPVD PART. TSO LABEL REQ'D ***

Lot: 5870762-000

COO:UNITED STATES

Waybill:

ECCN:9A991 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0060

The export classification appears above. You are responsible for all related export license requirements.

MFG C OF C CHEM & PHYS TEST REPORT REQ
CHARGES ON LINE #2&3 INVOICE WITH LINE
#1

SHIP VIA :FED EX GROUND

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

K552

4/16/14

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653

Eagle Products: Cage Code 66776

Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948088280

Page: 2

Bill To: 5574
B/E AEROSPACE, INC.
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
B/E AEROSPACE CONSUM MGMT
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
04/16/14	F484402	0TBV64			

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
----------	------	-----	-------------	-------------

BUYER: CRISTINA SANCHEZ
MATERIAL COMPLIES WITH DFARS 252.225-700
9 PREFERENCE FOR DOMESTIC SPECIALTY
METALS" WITH ITS ALTERNATE 1.
***SHIP VIA FEDX GRD COLLECT ACCT# 0331-
0149-0 IF 150 LBS OR MORE: SHIP FED
EX FREIGHT ECONOMY COLLECT ACCT# 018757.

DO NOT SHIP BY ANY OTHER WITHOUT PROPER
WRITTEN AUTHORIZATION.
ALLOWABLE SHIPPING TOLERANCE = +0%-0 %.
** BAR CODE PER QAP 33 CLAUSE P REQUIRED

** QAP 33.0 REV J CLAUSES: A, A.1, B, C, E, G
.1, H, N, P, U, V. CLAUSE A.3 GENERAL
TERMS APPLIES.
"G.1" CLAUSES SUPPLIER MUST HAVE A VALID F
IRST ARTICLE INSPECTION REPORT
COMPLIANT TO AS9102 ON FILE AND AVAILABLE
UPON REQUEST

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653

Eagle Products: Cage Code 66776

Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

Alcoa Fastening Systems



Packing Slip



Packing Slip: 9948088280

Page: 3

Bill To: 5574
B/E AEROSPACE, INC.
P.O.BOX 025263
MIAMI FL 33102-5263
USA

Ship To: (14)
B/E AEROSPACE CONSUM MGMT
9835 NW 14TH ST
MIAMI FL 33172
USA

From:
ALCOA FASTENING SYSTEMS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
04/16/14	F484402	0TBV64			

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
----------	------	-----	-------------	-------------

REV: AJ
RELEASE NUMBER: JXWQ0TBV64
chem & phys certs

CERTIFICATION

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653

Eagle Products: Cage Code 66776

Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CERTIFICATE of TEST

CERTIFICATE of TEST

Plan Date	Trace No.
02/18/2012	EI496
Cert. Date	Mfg. Lot
10/20/2012	

CERTIFICATION

The products identified on this certificate have been manufactured, tested and inspected in accordance with, and unless otherwise noted below, conform in all respects to the applicable drawings, specifications and/or standards. Complete reports of physical and chemical tests are on file for on-site examination. This certification relates only to the items tested and must not be reproduced except in full.

PREVENT FRAUD!

Any alteration of this certificate, or any unauthorized rework or modification of the identified products, voids all manufacturer's warranties and may lead to civil damages and/or criminal penalties.

Customer Name and Address		Customer Purchase Order		Dated		Shipper No.	
B/E AEROSPACE CONSUMABLES MGMT		0FAB55		02/23/2012		184236002	
9835 NW 14TH STREET		Part No.		Rev.		Insp. Lot Qty	
MIAMI, FL 33172		BACN10KE5B5CD		AJ		2999	
		Type Part		Marking		Shop Order	
		ASSY.				3036182	
Procurement Spec.		Rev.		Part Description		Release	
BPS-N-70		AN		TWO LUG, SELF LOCKING, FLOATING		KA13	

TORQUE OUT

SAMPLE: 13

MINIMUM U/M
160 ILB

INCH POUNDS	160	160	160	160	160
INCH POUNDS	160	160	160	160	160
INCH POUNDS	160	160	160	160	160

=====

ECCN 9A991.D / SCHEDULE B #7318.19.0000

=====

ASSEMBLY CONSISTS OF THE FOLLOWING:

SHELL	3238214-JA34	EF870
NUT	3270960-KA09	EH004

THE PARTS CONTAINED IN THIS SHIPMENT HAVE BEEN MANUFACTURED AND INSPECTED IN ACCORDANCE WITH "TSO-C148". THE CONDITIONS AND TESTS REQUIRED FOR "TSO" APPROVAL OF THIS ARTICLE ARE MINIMUM PERFORMANCE STANDARDS SET IN THE MANUFACTURER'S DESIGN. AIRCRAFT FASTENERS APPROVED UNDER THIS "TSO" ARE NOT NECESSARILY INTERCHANGEABLE WITH OTHER AIRCRAFT FASTENERS APPROVED UNDER THIS "TSO". FASTENERS OF SIMILAR DIMENSIONAL PROPERTIES MAY HAVE WIDELY VARYING PERFORMANCE AND METALLURGICAL PROPERTIES. SUBSTITUTION OF PARTS MAY ONLY BE DONE IF ACCEPTABLE TO OR APPROVED BY THE ADMINISTRATOR.

COUNTRY OF ORIGIN: USA