1. Approving National Aviation Authority/ Country :	2.	3. Form Tracking Number:
FAA/ United States	**AUTHORIZED RELEASE CERTIFICATE** **FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG**	000000014070

4. Organization Name and Address :	Certificate Number: N4RY202N	5. Work Order/ Contract/ Invoice Number:
NORDAM Singapore Pte Ltd. 33 Changi North Crescent Singapore 499640		500033155 T11207

6. Item:	7. Description:	8. Part Number:	9. Eligibility:*	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:
0001	DOOR ASSY, B737-700	314-2200-12	N/A	1	2048001	Repaired

13. Remarks :

1. The work specified has been accomplished on 03 Dec 2012 IAW OEM CMM 71-13-30 Rev 18 dated 01 May 2012.
2. Refer to Work Summary for component buildup information and other important documents.
3. SBs/Ads compliance: Nil.
4. Refer to Discrepancy Report for discrepancies and respective repairs carried out.
5. TSN: Unknown, CSN: Unknown.

14. Certifies the items identified above were manufactured in conformity to:		19. ☒ 14CFR 43.9 Return to Service ☐ Other regulation specified in Block 13.	
☐ Approved design data and are in condition for safe operation. ☐ Non approved design data specified in Block 13.		Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
15. Authorized Signature:	16. Approval/ Authorization No.	20. Authorized Signature: NSPL CS 03 DEC 2012 700052	21. Approval/Certificate No: N4RY202N
17. Name (Typed or Printed):	18. Date(m/d/y):	22. Name (Typed or Printed): Mohd Khalid Mohd Nawawi	23. Date(m d y): DEC 03 2012

User/ Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 19 do not constitute installation certification. In all cases, aircraft maintanence records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA Form 8130-3 (6-01) * Installer must cross-check eligibility with applicable technical data. NSN: 0052-00-012-9005

ORIGINAL IN RED

1. Approving Competent Authority/ Country	2.	3. Form Tracking Number
EASA	**AUTHORISED RELEASE CERTIFICATE** **EASA FORM 1**	000000014121

4. Organisation Name and Address :	5. Work Order/ Contract/ Invoice
NORDAM Singapore Pte Ltd. **33 Changi North Crescent** **Singapore 499640**	500033155 T11207

6. Item	7. Description	8. Part No.	9. Qty.	10. Serial No.	11. Status/ Work
0001	DOOR ASSY, B737-700	314-2200-12	1	2048001	Repaired

12. Remarks

1. The work specified has been accomplished on 03 Dec 2012 IAW OEM CMM 71-13-30 Rev 18 dated 01 May 2012.

2. Refer to Work Summary for component buildup information and other important documents.

3. SBs/Ads compliance: Nil.

4. Refer to Discrepancy Report for discrepancies and respective repairs carried out.

5. TSN: Unknown, CSN: Unknown.

13a. Certifies the items identified above were manufactured in conformity to:	14a. ☒ Part - 145.A.50. Release to Service ☐ Other regulation specified in Block 12.
☐ Approved design data and are in condition for safe operation ☐ Non approved design data specified in Block 12.	Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12, was accomplished in accordance with Part-145 and in respect to that work the items are considered ready for release to service.

13b. Authorised Signature	13c. Approval/ Authorisation Number	14b. Authorised Signature	14c. Certificate / Approval Ref No.
		NSPL CS 03 DEC 2012 700052	EASA.145.0107
13d. Name	**13e. Date (dd mmm yyyy)**	**14d. Name**	**14e. Date (dd mmm yyyy)**
		Mohd Khalid Mohd Nawawi	03 DEC 2012

USER/ INSTALLER RESPONSIBILITIES

This certificate does not automatically constitue authority to install the item(s).

Where the user/installer works in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority in block 1.

Statements in block 13a and 14a do not constitute installation certification. In all cases, aircraft maintanence records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1 国家 Country	2 中国民用航空总局 CAAC	☐ 符合性 Conformity	☒ 适航性 Airworthiness	3 证书编号 Certificate Ref. No.
CHINA	批准放行证书/适航批准标签 AUTHORIZED RELEASE CERTIFICATE/AIRWORTHINESS APPROVAL TAG			000000014122

4 单位 Organization	5 工作单/合同单/货单 Work Order /Contract /Invoice
NORDAM Singapore Pte Ltd 33 Changi North Crescent SINGAPORE 499640	500033155 / T11207

6 序号 Item	7 内容 Description	8 件号 Part No.	9 适用性 Eligibility*	10 数量 Qty	11 系列号/批号 Serial/Batch No.	12 产品状态 Status/Work
0001	DOOR ASSY, B737-700	314-2200-12	Not Known	1	2048001	Repaired

备注
13 Remarks

1. The work specified has been accomplished on 03 Dec 2012 IAW OEM CMM 71-13-30 Rev 18 dated 01 May 2012.

2. Refer to Work Summary for component buildup information and other important documents.

3. SBs/Ads compliance: Nil.

4. Refer to Discrepancy Report for discrepancies and respective repairs carried out.

5. TSN: Unknown, CSN: Unknown.

14 新产品 New Parts

兹声明上述产品除第13项的其它规定以外，已按照上述国家适航条例进行制造/检查并且该产品（出口产品）符合经批准的型号设计资料和进口国提出的专用要求。

Certifies that the Part(s) identified above except as otherwise specified in block 13, was (were) manufactured/inspected in accordance with the airworthiness regulations of the stated country and/or in the case of parts to be exported with the approved design data and with the notified special requiremets of the importing country.

15 使用过的产品 Used Parts

兹声明上述产品除第13项的其它规定以外，已按照上述国家适航条例和进口国通知的特殊要求进行了工作，该产品处于安全可用状态可以批准放行使用。

Certifies that the work specified above except as specified in block 13, was carried out in accordance with the airworthiness regulations of the stated country and the notified special requirements of the importing country and in respect to that work, the part(s) is (are) in condition for safe operation and is considered ready for release to service.(over)

16 批准人签名 Signature	18 批准日期 Date	19 中国民航总局授权 Issued by or on behalf of the CAAC
03 DEC 2012	03 DEC 2012	Approval No: F06500287
17 批准人姓名（打印的） Name (printed): Mohd Khalid Mohd Nawawi		

AAC-038(12/94)

ORIGINAL IN RED

*参阅产品目录详细查找适用性
Cross-check eligibility for more details with parts catalogue

批准放行证书/适航批准标签

AUTHORIZED RELEASE CERTIFICATE/AIRWORTHINESS APPROVAL TAG

使用者/安装者职责

USER/INSTALLER RESPONSIBILITIES

（1）必须明确：本文件并不批准零件/组件/部件可以装到有关产品上。
（2）当使用者/安装者使用的是所在国适航当局的条例，而不是本表第1项中所指国家适航当局的条例时，使用者/安装者必须保证所在国的适航当局能接受所指国家适航当局批准出口的零件/组件/部件。
（3）表中第14项、第15项的陈述，并不说明本表是安装批准。在所有情况下，航空器使用前，航空器使用者/安装者应把按本国适航条例颁发的安装批准放入维修记录中。

(1) It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.
(2) Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority of the country specified in block 1 it is essential that the user/installer ensure that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority of the country specified in block 1.
(3) Statements 14 and 15 do not constitute installation certification. In all cases the aircraft maintenance record must contain an installation certification issued in accordance with the national regulation by the user/installer before the aircraft may be flown.

1. Country	2.	3. Form Tracking Number
SINGAPORE	CIVIL AVIATION AUTHORITY OF SINGAPORE **AUTHORISED RELEASE CERTIFICATE** CAAS(AW)95	000000014123

4. Approved Organisation Name and Address	5. Work Order/ Contract/ Invoice
NORDAM Singapore Pte Ltd. 33 Changi North Crescent Singapore 499640	500033155 T11207

6. Item	7. Description	8. Part No.	9. Eligibility*	10. Quantity	11. Serial/Batch No.	12. Status/ Work
0001	DOOR ASSY, B737-700	314-2200-12	Unknown	1	2048001	Repaired

13. Remarks

1. The work specified has been accomplished on 03 Dec 2012 IAW OEM CMM 71-13-30 Rev 18 dated 01 May 2012.

2. Refer to Work Summary for component buildup information and other important documents.

3. SBs/Ads compliance: Nil.

4. Refer to Discrepancy Report for discrepancies and respective repairs carried out.

5. TSN: Unknown, CSN: Unknown.

14. NEW PARTS Certifies the items identified above were manufactured in conformity to: ☐ Approved design data and are in condition for safe operation ☐ Non approved design data specified in Block 13.		19. USED PARTS ☒ SAR-145.50 Release to Service ☐ Other regulation specified in Block 13. Certifies that unless specified in Block 13, the work identified in Block 12 and described in Block 13, was accomplished in accordance with SAR-145 and the Air Navigation Order and in respect to that work the items are considered ready for release to service.	
15. Authorised Signature	16. Approval/ Authorisation No.	20. Authorised Signature HSPL CS 03 DEC 2012 700052	21. CAAS Approval No. AWI/141
17. Name	18. Date(d/m/y)	22. Name Mohd Khalid Mohd Nawawi	23. Date(d/m/y) 03/DEC/2012

User/ Installer Responsibilities

NOTE:

1. It is important to understand that the existence of the Certificate alone does not automatically constitute authority to install the part/component/assembly.
2. Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different from the Civil Aviation Authority of Singapore (CAAS), it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the CAAS.
3. Statements 14 and 19 do not constitute installation certification. In all cases, the aircraft maintanence record must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

* Installer must cross check eligibility with applicable technical data.

ORIGINAL IN RED

1. Approving National Aviation Authority/Country:	2.	3. Form Tracking Number.
FAA/UNITED STATES	**AUTHORIZED RELEASE CERTIFICATE** FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	**R56997**

4. Organization Name and Address.

Aerospace Component Engineering (ACE) Services Pte Ltd
45 Changi North Crescent
Singapore, 499622

FAA Approval Holder: OQYY378Y

ACESERVICES
A Joint Venture Between SIA Engineering Company and Parker Aerospace

5. Work Order, Contract or Invoice Number:
R56997

6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:
1	PIN	315-2254-1	N/A	1	NA	INSPECTED

13. REMARKS

INSPECTED/TESTED PER: BOEING SOPM 20-20-01 REV.28 DATED JUL 01/2009.
TSN/CSN: UNKNOWN TSO/CSO: UNKNOWN.
PERTINENT DETAILS OF WORK CARRIED OUT ARE ON FILE AT THIS REPAIR STATION UNDER REPAIR NO.: R56997.

NSPL CS 03 DEC 2012 700052

Certified True Copy

14. Certifies the items identified above were manufactured in conformity to:	19. [X] 14 CFR 43.9 Return to Service [ ] Other regulation specified in Block 13
[ ] Approved design data and are in a condition for safe operation. [ ] Non-approved design data specified in Block 13	Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.
15. Authorized Signature: / 16. Approval Authorization No:	20. Authorized Signature: ACES C006 / 21. Approval/Certificate No: OQYY378Y
17. Name (Typed or Printed): / 18. Date (m/d/y):	22. Name (Typed or Printed): Boon Ching Tong / 23. Date (m/d/y): Nov/08/2012

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statement in Blocks 14 and 19 do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

* Installer must cross check eligibility with applicable technical data

1. Approving Competent Authority / Country	AUTHORISED RELEASE CERTIFICATE **EASA FORM 1**	3. Form Tracking Number
EASA		**R56997**

4. Organisation Name and Address	5. Work Order/Contract/Invoice
Aerospace Component Engineering (ACE) Services Pte Ltd **45 Changi North Crescent** **Singapore 499622** ACESERVICES™ *A Joint Venture Between SIA Engineering Company and Parker Aerospace*	**R56997**

6. Item	7. Description	8. Part No	9. Qty	10. Serial No.	11. Status/Work
1	PIN	315-2254-1	1	NA	INSPECTED

12. Remarks

INSPECTED/TESTED PER: BOEING SOPM 20-20-01 REV.28 DATED JUL 01/2009.
TSN/CSN: UNKNOWN TSO/CSO: UNKNOWN.
PERTINENT DETAILS OF WORK CARRIED OUT ARE ON FILE AT THIS REPAIR STATION UNDER REPAIR NO.: R56997.

NSPL CS 03 DEC 2012 700052

Certified True Copy

13a. Certifies the items identified above were manufactured in conformity to:	14a. ■ Part 145A.50 Release to Service ☐ Other regulation specified in block 12
☐ approved design data and are in condition for safe operation ☐ non-approved design data specified in block 12	Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.
13b. Authorised Signature	13c. Approval/Authorisation Number
13d. Name	13e. Date (dd/mmm/yyyy)
14b. Authorised Signature ACES C059	14c. Certificate/Approval Ref. No. **EASA.145.0350**
14d. Name Boon Ching Tong	14e. Date (dd/mmm/yyyy) 08/11/2012

USER/INSTALLER RESPONSIBILITIES

NOTE: 1 This certificate does not automatically constitute authority to install the item(s).
2 Where the user/installer works in accordance with the regulations of an Airworthiness Authority different than the Airworthiness Authority specified in block 1 it is essential that the user/installer ensures that his/her Airworthiness Authority accepts items from the Airworthiness Authorithy in block 1.
3 Statements in block(s) 13a and 14a do not constitute installation certification. In all cases the aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Country	2. CIVIL AVIATION AUTHORITY OF SINGAPORE	3. Form Tracking Number
SINGAPORE	**AUTHORIZED RELEASE CERTIFICATE** CAAS (AW) 95	R56997

4. Approved Organisation Name and Address	5. Work Order/Contract/Invoice
Aerospace Component Engineering (ACE) Services Pte Ltd **45 Changi North Crescent** **Singapore 499622** ACESERVICES™ *A Joint Venture Between SIA Engineering Company and Parker Aerospace*	R56997

6. Item	7. Description	8. Part No.	9. Eligibility *	10. Quantity	11. Serial/Batch No.	12. Status/Work
1	PIN	315-2254-1	UNKNOWN	1	NA	INSPECTED

13. Remarks

INSPECTED/TESTED PER: BOEING SOPM 20-20-01 REV.28 DATED JUL 01/2009.
TSN/CSN: UNKNOWN TSO/CSO: UNKNOWN.
PERTINENT DETAILS OF WORK CARRIED OUT ARE ON FILE AT THIS REPAIR STATION UNDER REPAIR NO.: R56997.

NSPL CS 03 DEC 2012 700052

Certified True Copy

14. NEW PARTS	19. USED PARTS
Certifies the items identified above were manufactured in conformity to: ☐ Approved design data and are in condition for safe operation ☐ Non-approved design data specified in Block 13	☒ SAR-145.50 Release to Service ☐ Other regulation specified in Block 13 Certifies that unless specified in Block 13, the work identified in Block 12 and described in Block 13, was accomplished in accordance with SAR-145 and the Air Navigation Order and in respect to that work the items are considered ready for release to service.
15. Authorised Signature / 16. CAAS Approval No.	20. Authorised Signature (ACES C006) / 21. CAAS Approval No. **AWI / 215**
17. Name / 18. Date (d/m/y)	22. Name: Boon Ching Tong / 23. Date (d/m/y): 08/11/2012

CAAS (AW)95 - Issue 2

* Installer must cross check eligibility with applicable technical data

USER / INSTALLER RESPONSIBILITIES

Note: 1. It is important to understand that the existence of the Certificate alone does not automatically constitute authority to install the part/component/assembly.

2. Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different from the Civil Aviation Authority of Singapore (CAAS), it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from CAAS.

3. Statements 14 and 19 do not constitute installation certification. In all cases, the aircraft maintenance record must contain an installation certification issued in accordance with the national regulations by the user/installer before aircraft may be flown.

NORDAM

Work Summary
(Attachment to ARC)

Work Order No: 500033155	P.O. No: T11207	Customer: AJ WALTER AVIATION

1. Main Assembly and Sub Component(s) work status:

Description	Part No.	Serial No.	ARC	ARC Ref	Status	Work Performed By
Fan Cowl CFM56-7	314-2200-12	2048001	FAA EASA CAAC CAAS	000000014070 000000014121 000000014122 000000014123	Repaired	NSPL

2. Document(s) attached to this Work Summary:

-	Receiving And Final Checklist
-	Compliance Log (Form NS121)
✔	NSPL ARC as in Table 1
-	ARC for sub-component/s as in table 1
✔	ARC for NDT: R56997
✔	Other: Serviceable Tag Form NS04, Discrepancy Report

3. Installation of item(s) to be performed by customer (indicate 'NA' below if not applicable).

Description	Part No.	Serial No.	Qty	Status
		NA		

Certifying Staff Sign: _____ Stamp: NSPL CS 03 DEC 2012 700052 Date: 03 Dec 2012

ORIGINAL IN RED

Note: 1) Original: Customer, Copy: Workpack, Customer Service
2) A copy of the Maintenance Record shall be kept in QA and is available upon request.

NORDAM

Serviceable Tag

Part Number:	Serial Number:	Part Description:	Work Order:
314-2200-12	2018001	CFM56-7 RH FAN COWL	500033155

Work carried out: ☐ ~~Overhauled~~ ☑ Repaired ☐ ~~Modification~~ ☐ ~~Inspection~~ ☐ ~~Tested~~

Remarks:

– NIL –

Certificate of Release to Service

Certifies that the work specified except as otherwise specified was carried out in accordance with the following airworthiness requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service:

- ☑ FAA 14 CFR Part 145 (N4RY202N)
- ☑ EASA Part 145 (EASA.145.0107)
- ☑ CAAC CCAR Part 145 (F06500287)
- ☑ CAAS SAR Part 145 and the Air Navigation Order (AWI/141)
- ☐ ~~Others (Specify:~~

Certifying Staff Signature:	Stamp:	Date:
	INSPL CSI 03 DEC 2012 700052	03 DEC 2012

FORM: NS 04 R3 050308

NORDAM

DISCREPANCY REPORT


Material Number & Description	Serial Number		Originated By
314-2200-12/ Fan Cowl RH	2048001		18/10/2012
Equipment	**Service notification**	**QN Number**	**Insp. Lot**
4000113510	500033155	NA	5000057948


1.


Inspection: RUB STRIP: IPL 71-13-30-03-20
IPL 71-13-30-03-25
IPL 71-13-30-03-30


Discrepancy:

FAN COWL FOUND WITH THE FOLLOWING PARTS WORN WHICH REQUIRE REPLACEMENT









A. RUB STRIP, P/N: 314-2209-20 (01 EA)
B. RUB STRIP, P/N: 314-2209-23 (01 EA)
C. RUB STRIP, P/N: 314-2209-22 (01EA)

Corrective Action: **NEW RUB STRIPS REPLACED WITH REFERENCE TO CMM 71-13-30**

NORDAM	DISCREPANCY REPORT

Material Number & Description	Serial Number		Originated By
314-2200-12/ Fan Cowl RH	2048001		18/10/2012
Equipment	**Service notification**	**QN Number**	**Insp. Lot**
4000113510	500033155	NA	5000057948

2.

Inspection: ELASTOMERIC STOP: IPL 71-13-30

Discrepancy: ELASTOMERIC STOP ON OIL ACCESS DOOR FOUND DETERIORED WHICH REQUIRED REPLACEMENT



ELASTOMERIC STOP, P/N: 314-2217-1 (ALT P/N: S700R1514-1)
(02 EA)

Corrective Action: **NEW ELASTOMERIC STOP REPLACED WITH REFERENCE TO CMM 71-13-30.**

NORDAM	DISCREPANCY REPORT


Material Number & Description	Serial Number		Originated By
314-2200-12/ Fan Cowl RH	2048001		18/10/2012
Equipment	**Service notification**	**QN Number**	**Insp. Lot**
4000113510	500033155	NA	5000057948

3.

Inspection: SCUPPER: IPL 71-13-30-03-415

Discrepancy: SCUPPER FOUND DENTED WHICH REQUIRE REPLACEMENT.





SCUPPER, P/N: 314-2234-1

Corrective Action: **NEW SCUPPER REPALCED WITH REFERENCE TO CMM 71-13-30.**

NORDAM	DISCREPANCY REPORT

Material Number & Description	Serial Number		Originated By
314-2200-12/ Fan Cowl RH	2048001		18/10/2012
Equipment	**Service notification**	**QN Number**	**Insp. Lot**
4000113510	500033155	NA	5000057948

4.

Inspection: OIL TANK ACCESS DOOR, IPL 71-13-30-03-185

Discrepancy: OIL TANK ACCESS DOOR FOUND CRACKED WHICH REQUIRE REPLACEMENT.



OIL TANK ACCESS DOOR, P/N: 314-2210-2

Corrective Action: **NEW OIL TANK ACCESS DOOR REPALCED WITH REFERENCE TO CMM 71-13-30.**

NORDAM

DISCREPANCY REPORT

Material Number & Description	Serial Number		Originated By
314-2200-12/ Fan Cowl RH	2048001		18/10/2012
Equipment	**Service notification**	**QN Number**	**Insp. Lot**
4000113510	500033155	NA	5000057948

4.

Inspection: HOLD OPEN ROD, IPL 71-13-30-01-205B

Discrepancy: HOLD OPEN ROD BUSHING FOUND DETACH WHICH REQUIRE REPLACEMENT.



HOLD OPEN ROD, P/N: A3482-4

Corrective Action: NEW HOLD OPEN ROD REPLACED WITH REFERENCE TO CMM 71-13-30.