Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statement in Blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article regulations by the user/installer before the aircraft may be flown 13a. Certifies the items identified above were manufactured in conformity to Organization Name and Address: 13b. Authorized Signature: 12. REMARKS: 13d. Name (Typed or Printed) . Item Certifies that the work specified in block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the component is considered ready for release to service under EASA Part-145 Approval Number: "EASA.145.6095". MFG: MPC PRODUCTS COR. ATA Manual ID: 27-21-01, Revision #: 8, Revision Date: 3/4/2003 Full details describing the actual work performed are contained and held in W/O # W27750. This unit was Repaired in accordance with: Non-approved design data specified in Block 12 Approved design data and are in a condition for safe operation **FAA/United States** Approving Civil Aviation Authority/Country: **ACTUATOR** Description General MRO Aerospace FAA Approval Holder: 19GR994Y sales@generalmroaerospace.com Ph: 305-482-9903, Fax: 305-482-9905 MIAMI, FL 33122 3018 NW 72nd Ave 13c. Approval Authorization No: FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG 13e. Date (dd/mmm/yyyy): AUTHORIZED RELEASE CERTIFICATE W92C Part Number: User/Installer Responsibilities DARIUS DAV 14b. Authorized Signatu described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and 14: X 14 CFR 43.9 Return to Service 9. Quantity: 5. Work Order, Contract or Invoice Number: 3. Form Tracking Number R308003 W27750 C3201 Serial Number: × 14c. Approval/Certificate No: 14e. Date (dd/mmm/yyyy) 19GR994Y 23/Jan/2017 Other regulation specified in Block 12 REPAIRED 11. Status/Work:

FAA Form 8130-3 (02-14)

NSN:0052-00-012-9005



General MRO Aerospace 3018 NW 72nd Ave **MIAMI, FL 33122**

Ph: 305-482-9903, Fax: 305-482-9905 sales@generalmroaerospace.com

Teardown

Work Order #: W27750

Date Printed: 1/23/2017

Time: 1:44:17 PM

Page: 1

To: AJW AVIATION LTD VISCOUNT HOUSE WEST SUSSEX Sussex, UK RH13 8RA

Ship To:

AJW AVIATION LTD AJ WALTER AVIATION LTD

The Headquarters Maydwell Avenue

West Sussex, Slinfold RH13 0AS

UNITED KINGDOM

Ref #: R308003

Phone #: 441403711777

Fax #: 441403710936

Email: andrew.honeysett@ajw-aviation.com

Code: 165

PN: W92C

Descr: ACTUATOR

Qty: 1

Mfg: MPC PRODUCTS COR.

Serial Number: C3201

Entry Date: 12/15/2016

Need Date: 12/20/2016

Compl. Date: 1/23/2017 11:2

Warranty: No

Container:

REMARKS

SUBCOMPONENT PN AND SN

N/A

REASON FOR REMOVAL

DOES NOT OPERATE FAILED TEST.

PRELIMINARY INSPECTION

Verified PN and SN from unit and RO.

PRE TEST (YES/NO)

Unit failed functional test. Unit is inoperative.

HIDDEN DAMAGE

No record hidden damage below.

TEARDOWN FINDINGS

During teardown inspection the following discrepancies were found:

Unit failed functional test. Unit was cleaned, disassembled and inspected. Upon inspection found unit contaminated. Unit requires Deep Cleaning and Paint for Repair.

Discrepancies Noted:

1. Unit Contaminated - Requires Rework

Maintenance Release Statement (FAR Pars 121, 125 and 135)

The instruments and or Components above was Serviced and Inspected with Pride and in accordance with current F.A.A. Regulations and is |X| Approved | | Not approved to Return to Service. Pertinent details of the Services are on files at this Repair Station.

Authorized Signature:

Date:

1/23/2017

DARIUS DAVIS

Form created with Quantum Control(tm) technology. Product Licensed to: General MRO Aerospace

Form: GMA 340



General MRO Aerospace 3018 NW 72nd Ave MIAMI, FL 33122

Ph: 305-482-9903, Fax: 305-482-9905 sales@generalmroaerospace.com

Teardown

Work Order #: W27750

Date Printed: 1/23/2017

Time: 1:44:17 PM

Page: 2

To: AJW AVIATION LTD VISCOUNT HOUSE WEST SUSSEX Sussex, UK RH13 8RA

Ship To:

AJW AVIATION LTD AJ WALTER AVIATION LTD

The Headquarters Maydwell Avenue

West Sussex, Slinfold RH13 0AS

UNITED KINGDOM

Ref #: R308003

Phone #: 441403711777

Fax #: 441403710936

Email: andrew.honeysett@ajw-aviation.com

Code: 165

PN: W92C

Descr: ACTUATOR

Qty: 1

Mfg: MPC PRODUCTS COR.

Serial Number: C3201

Entry Date: 12/15/2016

Need Date: 12/20/2016

Compl. Date: 1/23/2017 11:2

Warranty: No

Container:

Rework Required:

- 1. Deep Cleaning
- 2. Paint

Repair Quote

Technician: Luis Torres

Inspector: Hollis Bembry

Date: 01/12/2017

AD/SERVICE BULLETINS/MODIFICATIONS

No AD applicable to this unit.

WORK PERFORMED

Performed deep clean, sealant and safety wire. Unit was assembled and functionally tested. Unit passed functional test. Unit has been Repaired in accordance with current MPC PRODUCTS CORPORATION CMM 27-21-01 REV 8 DTD March 4, 2003.

Technician: Luis Torres

Inspector: Jose Garcia Date: 1/23/2017.

Maintenance Release Statement (FAR Pars 121, 125 and 135)

The instruments and or Components above was Serviced and Inspected with Pride and in accordance with current F.A.A. Regulations and is |X| Approved | | Not approved to Return to Service. Pertinent details of the Services are on files at this Repair Station.

Name:

Authorized Signature:

Inspector Seal:

Date:

1/23/2017

DARIUS DAVIS

Form created with Quantum Control(tm) technology. Product Licensed to: General MRO Aerospace

Form: GMA 340