

DELIVERY NOTE NUMBER



Boeing Distribution Services Inc.
 Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.BoeingDistribution.com
 Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
 Wire Instructions: Boeing Distribution Services Inc. • JPMorgan Chase Bank New York
 ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002



INVOICE NUMBER

K60FN4

PAGE 1 OF 2

SOLD TO:

044032
 AJ WALTER AVIATION LTD
 THE HEADQUARTERS
 MAYDWELL AVENUE
 SLINFOLD RH13 0AS
 UK



SHIP TO:

AJ WALTER AVIATION LTD
 THE HEADQUARTERS
 MAYDWELL AVENUE
 SLINFOLD
 SLINFOLD RH13 0AS
 UK

PO#



ORDER NO. CPE131501		DATE 06/10/21	SHIP VIA LOCAL PICK UP NOTIFY		TERMS NET 60		SHIPPING TERMS FCA-SELLER'S WH		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION			PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
	11	EN6114V5-11 TARIFF: 81089090 Description BOLT Long Description BOLT, COUNTER SUNK ECCN :GBNL MFR: BLANC AERO/LISI RUGB CTRL#: 2006F04447 LOT#: 608880 LOT QTY: 11 Country of Origin UNITED KINGDOM Zero rating for services or supply of qualified international aircraft (VAT notice 74 **REF: EN6114V5-11			4.690	EA	0	11	51.59
<p>These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.</p>									
CONTINUED									
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC									

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: Boeing Distribution Services Inc, CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: Boeing Distribution Services Inc. ("BOEING DISTRIBUTION SERVICES") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECT OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. BOEING DISTRIBUTION SERVICES DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF BOEING DISTRIBUTION SERVICES IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY BOEING DISTRIBUTION SERVICES MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL BOEING DISTRIBUTION SERVICES BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, BOEING DISTRIBUTION SERVICES MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.



PACKING SLIP

Senior Director, Global Quality

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<https://www.boeingdistribution.com/aero/conditions-sale/>







Boeing Distribution Services Inc.

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 3760 W. 108th Street, Miami, FL 33018 • SITA: MIAMMCR
www.BoeingDistribution.com

Shipped From: Boeing Distribution Services Inc, CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK


Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to Boeing Distribution Services.

FIRM: AJ WALTER AVIATION LTD**PURCHASE ORDER#: CPE131501**

QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR DTE	EXP DATE
11	EA	EN6114V5-11	EN6114V5-11	608880	BLANC AERO/LISI RUGB U6300			

BDSI CTRL/LOT # :2006F04447


Jason Lewis
Senior Director, Global Quality

06/10/21

Inv #K60FN4 06/10/21



AEROSPACE

LANC AERO INDUSTRIES UK LTD

BUTLERS LEAP, RUGBY

WARWICKSHIRE

CV21 3RQ

tel: + 00 44 (0)1788 559000

fax: + 00 44 (0)1788 568183

CERTIFICATE OF CONFORMITY CONSIGNOR

White
Copy with Goods

B.S.I Registered Firm Cert. No. FM00255
UKAS Accreditation No. 1940
Westland Helicopter Ltd. Approval No. SQA/03164
Rolls Royce approval to RR9000: SABRe No. 02044
Raytheon Aircraft Approval No. RAIFSAS/Part 1/0336
Bombardier Aero Industries Approval No. SB/VC/047

Airbus Approval No.
Airbus SAS 30079
Airbus SAS 20036
BAE Systems Approval No.
BAE/AG/30584/MAA
BAE/AG/20375/MAA

No. 327035

In the event of a query please quote
this certificate number

O: M&Y AEROSPACE
CMP SAS
PARC D'ACTIVITE DES BETHUNES
12 AVENUE DU FIEF
95810 SAINT OUEEN L'AUMONE, FRANCE

CONTRACT No.

CUSTOMER ORDER No.

M.O.D CONTRACT No.

ADVICE NOTE No.

082168

116895/1

ALLES
ORDER

lo.

PART & DESCRIPTION

QTY.

TEST
REPORT No.

INSP.
STAMP

18258/40

EN6114V5-11
TI CSK HI-LITE
BATCH: 884208

1500

608880



REMARKS/DEVIATIONS/ENDORSEMENTS

DRAWING ISSUE

P4A1



CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON
HAVE BEEN INSPECTED, TESTED AND - UNLESS OTHERWISE STATED
DO - CONFORM IN ALL RESPECTS WITH THE REQUIREMENTS OF THE
CONTRACT OR ORDER. THE QUALITY CONTROL ARRANGEMENTS ADOPTED
IN RESPECT OF THESE SUPPLIES HAVE ACCORDED WITH THE
CONDITIONS OF OUR B.S.I. REGISTRATION.

SEE CERTIFICATE SUPPLIED

HEADS ARE MANUFACTURED AND INSPECTED IN ACCORDANCE
WITH MIL-S-8879C METHOD B, MODIFIED PER APPLICABLE
DRAWING.

Signed

For and on behalf of Blanc Aero Industries UK Ltd





BLANC AERO INDUSTRIES UK LTD

Registered Office: Blanc Aero Industries UK Ltd
Bullers Leap, Rugby, Warwickshire, CV21 3RQ UK
Company No 1454059

Airbus Approval No:
Airbus SAS 30079
Airbus SAS 20036
BAE Systems Approval No:
BAE/AG/30584/MAA
BAE/AG/20375/MAA

B.S.I Registered Firm
Cert No. FM255
Westland Helicopter Ltd
Approval No. SQA/3164
Rolls Royce Approval to
RR9000: SABRe No. 02044

Ref No: 29113

Line No: 000000

Part No:

EN6114V5-11

Draw No: EN6114

Issue: P4A1

Issue Date: 20050802

Item No:

5184921

W.O. No: 0608880

Qty: 10166

PCE

Date Printed: 08/06/2006

Statement of inspection and conformity

Page: 1(1)

Lot No: 608880
Date validation: 08/06/06

Laboratory test report on finished products					Raw Material																																																																																
Mechanical tests <table border="1"> <thead> <tr> <th>Tensile Results</th> <th>Machine</th> <th></th> <th></th> <th>Oper</th> </tr> </thead> <tbody> <tr><td>TENSILE RESULT</td><td>530</td><td>36.92 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>36.80 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>36.62 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>36.80 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>35.72 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>36.10 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>35.82 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>37.10 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>36.48 HF</td><td>kN</td><td>R67</td></tr> <tr><td>TENSILE RESULT</td><td>530</td><td>35.16 HF</td><td>kN</td><td>R67</td></tr> <tr><td>SPECIFICATION MINIMUM</td><td>530</td><td>30.45 kN MIN</td><td>kN</td><td>R67</td></tr> <tr><td>SPECIFICATION MAXIMUM</td><td>530</td><td>N/A</td><td>kN</td><td>R67</td></tr> </tbody> </table>					Tensile Results	Machine			Oper	TENSILE RESULT	530	36.92 HF	kN	R67	TENSILE RESULT	530	36.80 HF	kN	R67	TENSILE RESULT	530	36.62 HF	kN	R67	TENSILE RESULT	530	36.80 HF	kN	R67	TENSILE RESULT	530	35.72 HF	kN	R67	TENSILE RESULT	530	36.10 HF	kN	R67	TENSILE RESULT	530	35.82 HF	kN	R67	TENSILE RESULT	530	37.10 HF	kN	R67	TENSILE RESULT	530	36.48 HF	kN	R67	TENSILE RESULT	530	35.16 HF	kN	R67	SPECIFICATION MINIMUM	530	30.45 kN MIN	kN	R67	SPECIFICATION MAXIMUM	530	N/A	kN	R67	Material: C AMS4967 Ti-6Al-4V COIL 7.89/92 {0.311} Part number: 8R7080 Batch nr: 0603005369 Material Source: PERRYMAN COMPANY															
Tensile Results	Machine			Oper																																																																																	
TENSILE RESULT	530	36.92 HF	kN	R67																																																																																	
TENSILE RESULT	530	36.80 HF	kN	R67																																																																																	
TENSILE RESULT	530	36.62 HF	kN	R67																																																																																	
TENSILE RESULT	530	36.80 HF	kN	R67																																																																																	
TENSILE RESULT	530	35.72 HF	kN	R67																																																																																	
TENSILE RESULT	530	36.10 HF	kN	R67																																																																																	
TENSILE RESULT	530	35.82 HF	kN	R67																																																																																	
TENSILE RESULT	530	37.10 HF	kN	R67																																																																																	
TENSILE RESULT	530	36.48 HF	kN	R67																																																																																	
TENSILE RESULT	530	35.16 HF	kN	R67																																																																																	
SPECIFICATION MINIMUM	530	30.45 kN MIN	kN	R67																																																																																	
SPECIFICATION MAXIMUM	530	N/A	kN	R67																																																																																	
Double Shear Results SHEAR RESULT N/A kN R11 SPECIFICATION MINIMUM N/A kN R11					Heat Treatment <table border="1"> <thead> <tr> <th>Hardness Results</th> <th></th> <th>Oper</th> </tr> </thead> <tbody> <tr> <td>HARDNESS MIN.</td> <td>N/A</td> <td>R51</td> </tr> <tr> <td>Heat Treatment</td> <td></td> <td></td> </tr> <tr> <td>HEAT TREAT LOT 1</td> <td>L06/0587</td> <td>R51</td> </tr> <tr> <td>HEAT TREAT LOT 2</td> <td>M06/0158-2</td> <td>R51</td> </tr> </tbody> </table>		Hardness Results		Oper	HARDNESS MIN.	N/A	R51	Heat Treatment			HEAT TREAT LOT 1	L06/0587	R51	HEAT TREAT LOT 2	M06/0158-2	R51																																																																
Hardness Results		Oper																																																																																			
HARDNESS MIN.	N/A	R51																																																																																			
Heat Treatment																																																																																					
HEAT TREAT LOT 1	L06/0587	R51																																																																																			
HEAT TREAT LOT 2	M06/0158-2	R51																																																																																			
Fatigue Results <table border="1"> <thead> <tr> <th>FATIGUE RESULT</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>FATIGUE RESULT</td><td>415</td><td>60000NF</td><td>cyc</td><td>R34</td></tr> <tr><td>ACTUAL AVERAGE CYCLES</td><td>415</td><td>60000</td><td>cyc</td><td>R34</td></tr> <tr><td>SPECIFICATION MINIMUM INDIVIDUAL</td><td>415</td><td>15000</td><td>cyc</td><td>R34</td></tr> <tr><td>SPECIFICATION MINIMUM AVERAGE</td><td>415</td><td>30000</td><td>cyc</td><td>R34</td></tr> </tbody> </table>					FATIGUE RESULT					FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	FATIGUE RESULT	415	60000NF	cyc	R34	ACTUAL AVERAGE CYCLES	415	60000	cyc	R34	SPECIFICATION MINIMUM INDIVIDUAL	415	15000	cyc	R34	SPECIFICATION MINIMUM AVERAGE	415	30000	cyc	R34	Non destructive test <table border="1"> <thead> <tr> <th>Dye Penetrant Inspection</th> <th></th> <th>Oper</th> </tr> </thead> <tbody> <tr> <td>DYE PEN SAMPLE SIZE</td> <td>50</td> <td>R77</td> </tr> <tr> <td>DYE PEN RESULT</td> <td>SATISFACTORY</td> <td>R77</td> </tr> </tbody> </table>		Dye Penetrant Inspection		Oper	DYE PEN SAMPLE SIZE	50	R77	DYE PEN RESULT	SATISFACTORY	R77
FATIGUE RESULT																																																																																					
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
FATIGUE RESULT	415	60000NF	cyc	R34																																																																																	
ACTUAL AVERAGE CYCLES	415	60000	cyc	R34																																																																																	
SPECIFICATION MINIMUM INDIVIDUAL	415	15000	cyc	R34																																																																																	
SPECIFICATION MINIMUM AVERAGE	415	30000	cyc	R34																																																																																	
Dye Penetrant Inspection		Oper																																																																																			
DYE PEN SAMPLE SIZE	50	R77																																																																																			
DYE PEN RESULT	SATISFACTORY	R77																																																																																			
After Plate Inspection <table border="1"> <thead> <tr> <th>PART MARKING</th> <th></th> <th>Oper</th> </tr> </thead> <tbody> <tr><td>PART MARKING</td><td>EN6114 5</td><td>R55</td></tr> <tr><td>SURFACE TEXTURE</td><td>SATISFACTORY</td><td>R55</td></tr> <tr><td>FINISH/COATING</td><td>IVD COAT</td><td>R55</td></tr> <tr><td>API RESULT</td><td>SATISFACTORY</td><td>R55</td></tr> <tr><td>COLOUR CODE</td><td>NO COLOUR</td><td>R73</td></tr> <tr><td>LUBRICATION</td><td>CETYL LUBE</td><td>R73</td></tr> </tbody> </table>					PART MARKING		Oper	PART MARKING	EN6114 5	R55	SURFACE TEXTURE	SATISFACTORY	R55	FINISH/COATING	IVD COAT	R55	API RESULT	SATISFACTORY	R55	COLOUR CODE	NO COLOUR	R73	LUBRICATION	CETYL LUBE	R73	Dimension inspection																																																											
PART MARKING		Oper																																																																																			
PART MARKING	EN6114 5	R55																																																																																			
SURFACE TEXTURE	SATISFACTORY	R55																																																																																			
FINISH/COATING	IVD COAT	R55																																																																																			
API RESULT	SATISFACTORY	R55																																																																																			
COLOUR CODE	NO COLOUR	R73																																																																																			
LUBRICATION	CETYL LUBE	R73																																																																																			
Metallurgical and Hydrogen Analysis <table border="1"> <thead> <tr> <th>Hydrogen Content</th> <th></th> <th></th> <th>Oper</th> </tr> </thead> <tbody> <tr><td>HYDROGEN RESULT</td><td>51.08</td><td>ppm</td><td>R13</td></tr> <tr><td>SPECIFICATION MAXIMUM</td><td>125.00</td><td>ppm</td><td>R13</td></tr> <tr><td>Metallurgical Inspection</td><td></td><td></td><td></td></tr> <tr><td>SAMPLE SIZE</td><td>10</td><td></td><td>R67</td></tr> <tr><td>COATING THICKNESS</td><td>0.00032</td><td>ins</td><td>R67</td></tr> <tr><td>GRAIN SIZE</td><td>N/A</td><td></td><td>R67</td></tr> <tr><td>METALLURGICAL RESULT</td><td>SATISFACTORY</td><td></td><td>R67</td></tr> </tbody> </table>					Hydrogen Content			Oper	HYDROGEN RESULT	51.08	ppm	R13	SPECIFICATION MAXIMUM	125.00	ppm	R13	Metallurgical Inspection				SAMPLE SIZE	10		R67	COATING THICKNESS	0.00032	ins	R67	GRAIN SIZE	N/A		R67	METALLURGICAL RESULT	SATISFACTORY		R67	Remarks: Technical Specification EN6116 We hereby declare, barring exceptions, reservations, or exemptions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they completely satisfy all specified.																																																
Hydrogen Content			Oper																																																																																		
HYDROGEN RESULT	51.08	ppm	R13																																																																																		
SPECIFICATION MAXIMUM	125.00	ppm	R13																																																																																		
Metallurgical Inspection																																																																																					
SAMPLE SIZE	10		R67																																																																																		
COATING THICKNESS	0.00032	ins	R67																																																																																		
GRAIN SIZE	N/A		R67																																																																																		
METALLURGICAL RESULT	SATISFACTORY		R67																																																																																		
Stamp	Signature		Date																																																																																		
			8.6.06																																																																																		

HF = Head Failure
TF = Thread Failure
NF = No Failure



Boeing Distribution Services Inc.

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 3760 W. 108th Street, Miami, FL 33018 • SITA: MIAMMCR
www.BoeingDistribution.com

Shipped From: Boeing Distribution Services Inc, CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK


Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to Boeing Distribution Services.

FIRM: AJ WALTER AVIATION LTD**PURCHASE ORDER#: CPE131501**

QUANTITY U/M PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE MFR DTE	EXP DATE
11 EA EN6114V5-11	EN6114V5-11	608880	BLANC AERO/LISI RUGB U6300		

BDSI CTRL/LOT # :2006F04447


Jason Lewis
Senior Director, Global Quality

06/10/21

Inv #K60FN4 06/10/21