


1. Approving Civil Aviation Authority/Country Transport Canada		2.		AUTHORIZED RELEASE CERTIFICATE FORM ONE		3. Form Tracking Number. WO148723	
4. Organization Name and Address. AJW Technique Inc 7055, rue Alexander Fleming Saint-Laurent QC H4S-2B7 Canada				5. Work Order, Contract or Invoice Number: R417554			
6. Item 7. Description: 1 VALVE ASSY RINSE		8. Part Number: 15800-358		9. Quantity: 1.00		10. Serial/Batch Number: 12822	
12. REMARKS UNIT REPAIRED AS PER CMM 38-34-20, REV 16, DATED MARCH 11/2022. FOR ADDITIONAL INFORMATION REFER TO TEAR DOWN / INSPECTION REPORT				11. Status/Work: REPAIRED			
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12				14a. Certifies that, except where otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was performed in accordance with Canadian Aviation Regulations. <input checked="" type="checkbox"/> CAR 571.10 Maintenance Release <input checked="" type="checkbox"/> Other regulation specified in Block 12			
13b. Signature:		13c. Approved Organization Number		14b. Signature 		14c. Approval Organization Number 33-12	
13d. Name (Typed or Printed):		13e. Date		14d. Name (Typed or Printed) Frederick Deland		14e. Date (dd/mm/yyyy) 19/Oct/2023	
Installer Responsibilities							
This certificate does not constitute authority to install the part.							
Installers working in accordance with the national regulations of a country other than specified in Block 1, must ensure that their regulations recognize certifications from the country specified.							
Statements in blocks 13a or 14a do not constitute installation certification. In all cases, the technical record for the aircraft must contain an installation certification issued in accordance with the applicable national regulations before the aircraft may be flown.							

Work Order: WO148723

Date Printed: 10/19/2023

Customer RO: R417554

Page: 2

<i>PN</i>	<i>Description</i>	<i>Reason</i>	<i>Qty Needed</i>	<i>Disposition</i>
15800-340	LABEL	WO	1	Consumable
15800-357-2	POPPET	WO	1	Consumable
15800-359-2	SEAT	WO	1	Consumable
15800-359-7	SPRING	WO	1	Consumable
15800-359-8	O-RING	NR	1	Consumable
2-018E3609-70	O-RING	NR	1	Consumable
VRT-16S-M	CABLE TIE	NR	5	Consumable

Work Order: WO148723

Date Printed: 10/19/2023

Customer RO: R417554

Page: 3

REASON LEGEND

- (AD) AD: Part replaced due to Air worthiness Directive that needs to be incorporated. This code will include the last digits of the "AD".
- (BR)* BROKEN: Part found Broken, cracked, crushed, ruptured, split, frayed, deformed. "NOT Customer Induced".
- (BU)* BURNT/MELTED: Part found burnt, overheated, scorched, seared, blistered, short circuited etc...
- (CID) CUSTOMER INDUCED DAMAGED: Part which is found damaged due to lack of maintenance, incident, mishandling, FOD etc....
- (CO)* CORRODED: Part found corroded, pitted, rusted, decayed, oxidized, powdery and is beyond repair.
- (CMM) 100% CMM: Part which is a mandatory replacement as per CMM.
- (CR) CUSTOMER REQUEST
- (CT)* CONTAMINATED: Part found contaminated by foreign object, debris, water, oil etc..." NOT Customer Induced".
- (DE)* DEFECTIVE: Part defective, intermittent or loose
- (DL)* DELAMINATED: Part found delaminated.
- (LE)* LEAKING: Part Leaking, seeping, porous beyond acceptable level as per CMM
- (MI) MISSING: Part missing to complete a unit as per CMM. "Customer responsibility"
- (MOD) MODIFICATION: Part requires modification as per CMM or other technical documentation. Part may be modified or replaced with a modified part.
- (NR)* NOT REUSABLE: Part that cannot be reused EX: O-ring, rings, gaskets, packing's, retainers, stripped screws, lock nuts, seals, lock washer.
- (OOS) OUT OF SCOPE: Unit discrepancy not directly caused by customer and is above and beyond normal wear and tear or excluded from applicable commercial contracts.
- (OOT)* OUT OF TOLERANCE: Part did not meet the tolerance or calibration as per CMM.
- (RP)* RUPTURED: Part Punctured, ripped, torn, cut, deteriorated. (For Diaphragm, bellows...)
- (RW)* REWORKED: Part reworked, refurbished, balanced, machined as per CMM.
- (SB) SB: Part replaced due to Service Bulletin that needs to be incorporated. This code will include the last digits of the "SB"
- (SE)* SEIZED: Part seized.
- (SIL) SIL: Part replaced due to Service Information Letter that needs to be incorporated. This code will include the last digits of the SIL.
- (TX) TIME CONTROLLED: Part reached the end of its life, it is time expired and may either be overhauled if applicable or replaced due to times or cycles.
- (WO)* WORN: Part scratched, grinded, rubbed, grooved, scrapped, gouged, chipped, abrasion etc....
- (WT) WARRANTY: Part replaced under warranty
- (CS) CUSTOMER SUPPLIED PARTS
- (NDT) NON DESTRUCTIVE TEST
- (IP) INCORRECT PART; (SS) SUPERSEDED; (AR) AS REQUIRED;
- * NORMAL WEAR AND TEAR