



PRECISION CONTROL FINISHING INC.

12150 S. BLOOMFIELD AVE. BLDG D., SANTA FE SPRINGS, CA 90670
(562) 484-3930 FAX (562) 484-3940

104101

104101

TERMS: 1% within 10 days. Net 30 days. Net and Past Due thereafter subject to a service of 1.5% per month (18.0% per annum) for balances past due 30 days an over. Terms do not apply to C.O.D.

S
O
L
D

T
O

INLAND MACHINE COMPANY
10762 EDISON COURT
RANCHO CUCAMONGA, CA91730

S
H
I
P
P
E
D

T
O

INLAND MACHINE COMPANY
10762 EDISON COURT
RANCHO CUCAMONGA, CA91730

P.O. NO.	TERMS NET 30	SHIPPED VIA	SHIPPER NO.	MATERIAL	SHIPPED DATE
V25610	Net 30			304 SS	6/30/2014
QUANTITY	DESCRIPTION AND/OR PART NUMBER				SHIPPED
12,528	AS5178J06 NUT JOB# 8199				
	PASSIVATED PER AMS 2700 E , METHOD 1				
	TYPE VI CLASS 1				
	WATER IMMERSION TEST METHOD 100, 24 HRS, 13 PCS				
	ACC: 13 REJ: 0				
	H. W. D. S. (7%)				

P.C.F. LIABILITY SHOULD BE LIMITED TO THE COST OF DIRECT LABOR AND MATERIAL DAMAGE OR THREE TIMES OUR PROCESSING CHARGES ON MATERIAL, OR WHICHEVER IS LESS.
THE PURCHASER AGREES THAT IN THE EVENT HE FAILS TO PAY HIS ACCOUNT AND THE MATTER IS REFERRED TO AN ATTORNEY TO ENFORCE PAYMENT, HE WILL, IN ADDITION TO THE SUMS DUE, PAY A REASONABLE ATTORNEY'S FEES AND ANY COURT COSTS OF ENFORCEMENT.

TOTAL

WE HEREBY CERTIFY THE ABOVE LISTED PARTS ARE PROCESSED IN ACCORDANCE WITH APPLICABLE SPECIFICATION. TEST REPORTS ON FILE.

SPEC. NO. AMS 2700 REV. E

TYPE TYPE VI CLASS CL. 1

BY Guillermo Oliveros

Guillermo Oliveros
Q.C. Inspector

WE HEREBY CERTIFY THE ABOVE LISTED PARTS ARE PROCESSED IN ACCORDANCE WITH.

SPEC. NO. _____

TYPE _____ CLASS _____

BY _____

WE HEREBY CERTIFY THE ABOVE LISTED PARTS ARE PROCESSED IN ACCORDANCE WITH APPLICABLE SPECIFICATION. TEST REPORTS ON FILE.

SPEC. NO. _____

TYPE _____ CLASS _____

BY _____

ANY DISCREPANCY MUST BE REPORTED WITHIN 24 HOURS

RECEIVED X

SUBJECT TO CONDITIONS OF LIABILITY ON PACKING SLIP

SHIPPER'S / CERTIFICATION

INLAND MACHINE COMPANY

MANUFACTURING AN-MS-NAS HYDRAULIC FITTINGS

MANUFACTURER'S AFFIDAVIT


I, RONALD DORFF hereby certify that the below named parts
(Name)

were manufactured by INLAND MACHINE COMPANY located at
(Company Name)

10762 EDISON COURT RANCHO CUCAMONGA CA 91730
(Street Address) (City) (State) Zip Code

Part No.	Part Description
AS5178J06	NUT REV A
JOB # 8199	

I further certify that should any change in the manufacturing process occur which changes the country of origin; I will immediately notify B / E AEROSPACE, Inc. in writing and provide a new Manufacturer's Affidavit.


(Signature)
QUALITY CONTROL MANAGER
(Title)
7/1/14
(Date)

THIS DOCUMENT IS INTENDED ONLY FOR THE USE OF THE PERSON(S) TO WHOM IT IS ADDRESSED. IT MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. If you are not the intended recipient, any dissemination, distribution, copying or other use of this document is strictly prohibited. If you have received this communication in error, please notify us by telephone 305.925.2600 to arrange for the destruction or return to us of original document.

10762 EDISON COURT - RANCHO CUCAMONGA, CA 91730 - 909-484-5579 - FAX 909-484-4825
EMAIL: ggarcia@inlandaerospace.com

INLAND
MACHINE COMPANY

(909) 484-5579

FAX (909) 484-4825

10762 EDISON COURT
RANCHO CUCAMONGA, CA 91730

Invoice

To:
B/E AEROSPACE INC
P.O. BOX 025263
MIAMI, FL 33102

Ship To:
B/E AEROSPACE CONSUMABLES MANAGEMENT
NORDPORTBOGEN 6
D-22848 NORFERSTEDT
GERMANY
VAT NO : DE276905993

Invoice Date: 7/1/2014 **Terms:** 2 % 10 NET 30
Order Date: 1/23/2014 **Cust. PO#:** 0VEA52
Ship Date: 7/1/2014 **FOB:**
Sales Order: 0VEA52 **Buyer:**
Customer #: BEA1

Weight:
of Boxes:
Shipment #: 1

Ship Via: FEDEX INTL. P1
Ship Via Acc: 225970343
Invoice #: 44404

Item	Part Number/Description	Shipped	BackOrd	CD	Unit Price	Total Amt
------	-------------------------	---------	---------	----	------------	-----------

2 AS5178J06 NUT REV. A
FULL CERTS

10000

0 NE

JOB # 8199

PARTS ARE DFAR COMPLIANT

MADE IN USA

PACKING LIST

ALL PAST DUE ACCOUNTS SHALL BEAR INTEREST
AT THE RATE OF 1 1/2 % PER MONTH.

THIS IS TO CERTIFY THAT ALL ARTICLES DELIVERED UNDER THIS
SHIPPER, CONFORMS TO ALL APPLICABLE BLUE PRINT SPECIFICATION.
AND EVIDENCE OF SUCH IS ON FILE SUBJECT TO EXAMINATION

It is agreed by buyer that upon delivery of parts, said will be inspected and that if any parts are defective, buyer agrees to notify seller within ten (10) days
limitation. Buyer agrees that it waives all rights to any damages and credits against any amount of invoice.

Form created with Quantum Control(tm) technology. Product Licensed to: Inland Machine Co.

Acciaierie Valbruna S.p.A.

QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4Clienti / Kunden / Clients
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-USProduttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/ManufactureurAvviso di Spedizione: D-VI12031828
Lieferungsfachungsfeld LOrdine nr: 33490 STOCK CHINO
Bestell-/sur order/CommandeCertificato nr: MEST264719/2012/
Prüfung/TeilenummerConferma ordine nr: E112005233
Werk-/Our Order/Nr.Marchio di Fabbrica:
Zeichen des Lieferanten
Marque insub.
Logo de l'usine productriceStato di fornitura: - Annealed Cold Drawn
Lieferzustand/Lieferungszustand/Fur de livraisonTipo di Elaborazione: E+AOD
Erzeugnis/herstellungszustand/Mode d'elaborationPunzone del Collaudatore:
Stempel des Werkstoffversügers
Expéditeur's stamp/stempel von de l'inspecteur

Specifiche:

Anforderungen / Requirements / Exigences

VSI 0 304/304L A,CF
AMS 5847 J S30403 A
ASME SA182 2010 S30400/03 A (0)
ASME SA320 2010 B8 (3)
ASTM A193 2011A B8 (8)
ASTM A314 2008 S30400/03
ASTM A473 2001 S30400/03 (8)
NACE MR0175 2009 S30400/03 A (9)AISI 304/304L
AMS-QQ-S-763 B 304 A,CF
ASME SA193 2010 B8 (1)
ASME SA479 2010 S30400/03 A (4)
ASTM A262 2010 PRACTICE E
ASTM A320 2011A B8 (7)
ASTM A479 2011 S30400/03 AAMS 5839 H S30400 A
AMS-QQ-S-763 B 304L A
ASME SA278 2010 S30400/03 A,CF (2)
ASTM A182 2011A S30400/03 A (5)
ASTM A276 2010 S30400/03 A,CF
ASTM A370 2012
MIL-S-882 B/1 304/304L

- (0) SEC.II PT.A 2010 EDITION ADD. 2011a
(1) SEC.II PT.A 2010 EDITION ADD. 2011a
(2) SEC.II PT.A 2010 EDITION ADD. 2011a
(3) Chemical analysis only.
(5) For products machined directly from bar refer to ASTM A479.
(7) Chemical analysis only.
(9) ANS/NACE MR0175/ISO 15156-3, second edition 2009-10-15

- (0) For products machined directly from bar refer to ASME SA479.
(1) Chemical analysis only.
(3) SEC.II PT.A 2010 EDITION ADD. 2011a
(4) SEC.II PT.A 2010 EDITION ADD. 2011a
(5) Chemical analysis only.
(8) Chemical analysis only.
(9) Technical circular 12011 Published 2011-06-14

Qualità: 304/304L

Werkstoff/Qualitätsklasse

Marca: MVAISL
Markenbezeichnung
MAXIVALTolleranza: ASTM A484-11
Toleranz / Abweichung/TolerancePunzonatura: 304/304L
Kennzeichnung/Markung/Markage

Pos. nr. Pos. nr. N° de pos.	Objetto Description Description de produit	Dimensioni - in Abmessungen Dimensions	Lunghezza - in Länge Longueur	Colata Schmelze Heat Coulée	Pezzi Stücken Pièces	Peso - LB Gewicht Poids	Lotto nr. Laufr. Lot nr.
0030	Hexagon	0,8125	150 / 152	257719		2.255	209304110

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf Lieferzustand produkt test a l'état de livraison Prueba sobre el material así como entregado

TEST	Proveita/Prüfung Description Beschreibung Lunghezza Länge Länge	°F	Pos. Baglio Länge Länge	Snervamento Biegeversuch Biegeversuch Rp 0,2% k.s.i.	Snervamento Biegeversuch Biegeversuch Rp 0,2% k.s.i.	Resistenza Zugversuch Zugversuch Rm k.s.i.	Allungamento Zugversuch Zugversuch E 4d %	Strizione Zugversuch Zugversuch RA %	Resistenza Zugversuch Zugversuch Rm k.s.i.	Durezza Härte Härte HB
	Valori richiesti Anforderungen Valeurs demandées	min		30		75	40	50		140 235
A	12,5	68	L	80		109	45	65		232

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Schmelze Coulée	min max	0,030	1,00	16,00 20,00	1,00	1,00	8,00 10,50	0,040 0,030	0,020 0,030	0,100				
C %	SI %	Mn %	Cr %	Mo %	Cu %	NI %	Co %	P %	S %	N %				
257719	0,018	0,51	1,83	18,18	0,37	0,56	8,00	0,144	0,032	0,029	0,085			

Produced without class II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940 °F for 0.5 h/water.
Micro and macro etch test: OK
Intergranular corrosion test per ASTM A262 pract. E: ok.
Material is DFARS Compliant

Vicenza, 30/10/12 VCC0008 (Mod. MC87)	Il collaudatore di stabilimento / der Werkstoffversüger / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
---	--	-----------------

Sold to: INLAND MACHINE PO: V25607 Part: 8199 Order No.: 482628

TR clerk signature:

Date: 1/30/2014 To: BRALCO METALS

SO#: A594978 Lnt: 1 PO#: 43-115903 Part: 304HX0.812 Heat#: 257719 Teg: V3349003A

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

38100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / customer/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Manufacturer

Stato di fornitura: - Annealed Cold Drawn
Lieferzustand/Supply state/État de livraison

Sono state soddisfatte tutte le condizioni richieste
Die genannten Anforderungen sind in Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimercanzia: OK
Fremdwährungsprüfung: zufriedenstellend durchgeführt
Anti-dumping testing performed: OK
Controlli antimercanzia: tutti OK

Avviso di Spedizione: D-VII2031828
Lieferungsgeplanning Nr. 1

Ordine nr: 33490 STOCK CHINO
Bestell-/Your order/Commande

Tipo di Elaborazione: E+AOD
Erweiterungsbearbeitung/Working process/Procédé de fabrication

Certificato nr: MEST264719/2012/
Prüfung/Testing/Essai

Conferma ordine nr: EI12005233
Werk-/Our Order/Nr.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Stylus de l'usine productrice



Punzone del Collaudatore:
Stempel des Werkstoffverständigen
Inspector's stamp/Plombon de l'essayeur

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional check: satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex I, s. 4.3 by TÜV and LLOYD'S
Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Product.

Vicenza, 30/10/12 VCO008 (Mod. MCF)	Il collaudatore di stabilimento / der Werkstoffverständiger / Works Inspector / L'agent d'usine M. Rizzoli	Pagina - 2 di 2
---	---	-----------------

Sold to: INLAND MACHINE PO: V25607 Part: 8199 Order No.: 482628

TR clerk signature: Denise Trejo



P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.KLXaerospace.com

Shipped From: NORDPORTBOGEN 6, D-22848 NORDERSTEDT, GERMANY

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

FIRM: AJ WALTER AVIATION LTD

PURCHASE ORDER#: CPE2812

QUANTITY U/M PART-NUMBER	CUST REF#	LOT-NUMBER	Eff Date	EXP DATE
200 EA AS5178J06		8199		



Jason Lewis
Senior Director, Global Quality

02/24/16

Inv # 02/24/16