

1. Approving Civil Aviation
Authority/Country:

2.

FAA/United States

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:
20230013683150Y15
348245621

4. Organization Name and Address:
Honeywell International Inc.
23500 W 105th Street
Olathe KS 66061

Repair Station
PR2R093L

6. Item:

7. Description:

8. Part Number:

9. Quantity:

10. Serial Number:

11. Status / Work:

001
CONTROL PANEL - CURSOR CONTROL DEVICE,
R

4073970-951

1

01051153

REPAIRED

12. Remarks:

THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:
CMM 31-61-06 Rev 10, JUL/04/2022

THIS DOCUMENT HAS BEEN ISSUED ACCORDING TO AN APPROVED COMPUTER
GENERATED SIGNATURE PROCEDURE
MODS: NONE
SW VERS: N/A

SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED
CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND IN RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE
TO SERVICE UNDER EASA PART 145 APPROVAL NO. EASA 145.4140

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

13b. Authorized Signature:

14a. ☒ 14 CFR 43.9 Return to Service ☒ Other regulation specified in Block 12
Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

13e. Date(dd/mm/yyyy):

14d. Name (Typed or Printed):

14e. Date(dd/mm/yyyy):

User / Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA FORM 8130 - 3 (02-14)

SERVICE REPORT

AJW AVIATION LTD

SR NUMBER: 5017884308		348245621	FAA: PR2R093L	EASA: EASA.145.4140
PO: R416415	CUSTOMER PART NUMBER:		CONTRACT NUMBER: 440098719	
DATE REJECTED: 19 SEP 2023	DATE RECEIVED: 19 SEP 2023		DATE COMPLETED: 11 OCT 2023	
A/C TYPE: UNK	A/C TAIL NUMBER:		A/C SERIAL NUMBER:	
PACKING STATUS: No	SEALS INTACT: Intact		PHYSICAL DAMAGE: No	
REASON FOR REMOVAL: cursor control r msg				

PART NUMBER	AS RECEIVED: 4073970-951	AS RELEASED: 4073970-951
DESCRIPTION:	CONTROL PANEL - CURSOR CONTROL DEVICE,	CONTROL PANEL - CURSOR CONTROL DEVICE,
SERIAL NUMBER	01051153	01051153
UID(MFR/SPL PNO SER/UCN)	58960 01051153	58960 01051153
HW MOD STATUS:	None	None
SW MOD STATUS:	N/A	N/A
SOFTWARE LOAD:	N/A	N/A
REASON FOR REMOVAL CONFIRMED: Rejection Confirmed		ESTIMATE SUPPLIED: Yes
PRIMARY SHOP FINDING: Hardware Fault Found		WARRANTY:
TYPE OF SERVICE: REPAIRED		TECHNICIAN: Ana Ceja
MAINTENANCE STATEMENT: PAGE DETAILING WORK PERFORMED, ALONG WITH MATERIALS USED, IS ATTACHED IN PAGE 2.		
SIGNATURE BELOW REQUIRED ONLY WHEN RETURN TO SERVICE IS NOT ISSUED: DATE: _____		
SIGNATURE OF AUTHORIZED PERSON: _____		
Complied With CMM/Eng Documentation: 31-61-06/Rev 10/Rev Date 04 JUL 2022; Service Bulletins: Customer Manuals/Documentation:		
SHOULD YOU REQUIRE ANY FURTHER INFORMATION REGARDING THIS SERVICE REPORT, OR HAVE ANY QUESTIONS, PLEASE CONTACT OUR CUSTOMER RESPONSE CENTER AT 1-800-601-3099 OR VISIT OUR CUSTOMER PORTAL AT www.MyAerospace.com TO SUBMIT AN INQUIRY.		

SERVICE REPORT

AJW AVIATION LTD

SR NUMBER: 5017884308

PO: R416415		CUSTOMER PART NUMBER:	FAA: PR2R093L	EASA: EASA.145.4140
			CONTRACT NUMBER: 440098719	

Previously Complied With

CMM/Eng Documentation:

Service Bulletins:

Customer Manuals/Documentation:

Evaluation Findings

Rejection confirmed. Touchpad tests failed, replaced front panel assembly to repair. Replacement assembly will come from repaired stock.

Multiple arinc 429 failures, replaced Digital CCA to repair.

Work performed / Comments to Customer

Unit passed certification test. Test equipment calibration dates verified and final tested by Ana Ceja on 11 October 2023. This component is airworthy with respect to the work performed.

DISPOSITION	REF DSG	P/N Installed	S/N Installed	P/N Removed	S/N Removed	Qty	Primary Failure	SB
Exchange	FIG 1/65	4073972-10	1779	4073972-10	2687	1		

TOUCHPAD FAILURES

Replace	FIG 1/125	4074005-1002	76093732	4074005-1002	61323793	1		
---------	-----------	--------------	----------	--------------	----------	---	--	--

Multiple arinc 429 failures, replaced Digital CCA to repair.



1. Approving Civil Aviation
Authority/Country:
FAA/United States

AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:
20230013683150Y15
348245621

4. Organization Name and Address: Honeywell International Inc.
23500 W 105th Street
Olathe KS 66061

Repair Station
PR2R093L

5. Work Order/Contract/Invoice Number:
R416415
348245611
Page 1 of 1

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status / Work:
001	CONTROL PANEL - CURSOR CONTROL DEVICE, R	4073970-951	1	01051153	REPAIRED

12. Remarks:
THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:
CMM 31-61-06 Rev 10, JUL/04/2022

THIS DOCUMENT HAS BEEN ISSUED ACCORDING TO AN APPROVED COMPUTER
GENERATED SIGNATURE PROCEDURE
MODS: NONE
SW VERS: N/A

SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED
CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND IN RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE
TO SERVICE UNDER EASA PART 145 APPROVAL NO. EASA 145.4140

13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature: <i>Carol Barreras</i>	14c. Approval/Certificate No.: PR2R093L
13d. Name (Typed or Printed):	13e. Date(dd/mm/yyy):	14d. Name (Typed or Printed): Carol Barreras	14e. Date(dd/mm/yyy): 11/OCT/2023

User / Installer Responsibilities
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.
FAA FORM 8130 - 3 (02-14)

SERVICE REPORT

AJW AVIATION LTD

SR NUMBER: 5017884308		348245621	FAA: PR2R093L	EASA: EASA.145.4140
PO: R416415	CUSTOMER PART NUMBER:		CONTRACT NUMBER: 440098719	
DATE REJECTED: 19 SEP 2023	DATE RECEIVED: 19 SEP 2023		DATE COMPLETED: 11 OCT 2023	
A/C TYPE: UNK	A/C TAIL NUMBER:		A/C SERIAL NUMBER:	
PACKING STATUS: No	SEALS INTACT: Intact		PHYSICAL DAMAGE: No	
REASON FOR REMOVAL: cursor control r msg				
PART NUMBER	AS RECEIVED:	AS RELEASED:		
	4073970-951	4073970-951		
DESCRIPTION:	CONTROL PANEL - CURSOR CONTROL DEVICE,		CONTROL PANEL - CURSOR CONTROL DEVICE,	
SERIAL NUMBER	01051153	01051153		
UID(MFR/SPL PNO SER/UCN)	58960 01051153	58960 01051153		
HW MOD STATUS:	None	None		
SW MOD STATUS:	N/A	N/A		
SOFTWARE LOAD:	N/A	N/A		
REASON FOR REMOVAL CONFIRMED: Rejection Confirmed		ESTIMATE SUPPLIED: Yes		
PRIMARY SHOP FINDING: Hardware Fault Found		WARRANTY:		
TYPE OF SERVICE: REPAIRED		TECHNICIAN: Ana Ceja		
MAINTENANCE STATEMENT: PAGE DETAILING WORK PERFORMED, ALONG WITH MATERIALS USED, IS ATTACHED IN PAGE 2.				
SIGNATURE BELOW REQUIRED ONLY WHEN RETURN TO SERVICE IS NOT ISSUED: DATE: _____				
SIGNATURE OF AUTHORIZED PERSON: _____				
Complied With CMM/Eng Documentation: 31-61-06/Rev 10/Rev Date 04 JUL 2022; Service Bulletins: Customer Manuals/Documentation:				
SHOULD YOU REQUIRE ANY FURTHER INFORMATION REGARDING THIS SERVICE REPORT, OR HAVE ANY QUESTIONS, PLEASE CONTACT OUR CUSTOMER RESPONSE CENTER AT 1-800-601-3099 OR VISIT OUR CUSTOMER PORTAL AT www.MyAerospace.com TO SUBMIT AN INQUIRY.				

SERVICE REPORT

AJW AVIATION LTD

SR NUMBER: 5017884308			FAA: PR2R093L	EASA: EASA.145.4140
PO: R416415		CUSTOMER PART NUMBER:	CONTRACT NUMBER: 440098719	

Previously Complied With
CMM/Eng Documentation:
Service Bulletins:
Customer Manuals/Documentation:

Evaluation Findings

Rejection confirmed.Touchpad tests failed, replaced front panel assembly to repair. Replacement assembly will come from repaired stock.

Multiple arinc 429 failures, replaced Digital CCA to repair.

Work performed / Comments to Customer

Unit passed certification test. Test equipment calibration dates verified and final tested by Ana Ceja on 11 October 2023. This component is airworthy with respect to the work performed.

DISPOSITION	REF DSG	P/N Installed	S/N Installed	P/N Removed	S/N Removed	Qty	Primary Failure	SB
Exchange	FIG 1/65	4073972-10	1779	4073972-10	2687	1		

TOUCHPAD FAILURES

Replace	FIG 1/125	4074005-1002	76093732	4074005-1002	61323793	1		
---------	-----------	--------------	----------	--------------	----------	---	--	--

Multiple arinc 429 failures, replaced Digital CCA to repair.