United Performance Metals

Customer Name: TW Metals UK Customer PO: B 30566001

UPM Sales Order: 27587

Packing List-Number: 59259-1

Date: 08/01/2019

Description/Form: TITANIUM 6AL4V - SHEET
Heat Number: 20142018 Ingot: LOT 14032413

Width: 36,0000

Quantity: 32

Size: .0560 Customer P/N:

pc.

Length: 96,0000

BAOJI TITANIUM INDUSTRY CO., LTD

MATERIAL CERTIFICATION

NO: 2015035420309-1

DATE: Sep. 30, 2017

BACTI's management system has been approved according to the requirement of A59100, 1809001, 19014001 and OHSAS 18801

United Performance Metals

Unit 6a-e Ballyharry Business Park Donaghadee Road, Newtownards, County Down, Northern Ireland, BT23-7BG

PO NO.: 46000855

<u>0 NO.: 4</u>	6000855					····					
ommodit	y: TITANI	UM SHEET		LIDE 2TA	10/2009	/ASTM B265	i-13a	GR.5.	6Al-4V	Pinish:	Annealed
pecificati	on: AMS 4	OM SHEET	-9046B At	Heat N	lo	Quantity[p	c]	Net '	Weight[kg]	Lo	t No.
Size[inch] 0.056"×36"×96"			20142018 10		144 1403		32413				
	0.056"	×36"×96"		Chemica		sition (W	Τ.	%)			
			Al	V	Fe	С		N	0	<u>Y</u>	H
Requi	rement	TI	5.5~6.75		≤0,30	≤0.08	S(.05	≤0,20	≤0,005	≤0,0125
1114-		1//41/10/11/20	6.40	4.08	0.14	0.02	<	10.0	0.11	<0.001	0.003
Rosult	Тор	Remainder Remainder	6.43	4.19	0.14	0.02	\ \	0.01	0.12	<0,001	0.003
	Bottom	Kemanusi	4. 0.40		onsile To	st		····			
		Tens	ile Strength		Yle	id Strength 0	27%	2.		longation [%]	
Requi	rement	[MPa] 960MIN~1270MAX		AV	900MIN.				IOMIN		
				7.7		999/983				11.5/11.5	
Result	T		092/1095		1012/1053 11.5/11.5						
Vesm:	<u>L</u>	<u> </u>	101/1108		Other Te						
									Bend Te	1(105°/18	0°)
Visual Inspection				Dimensional Inspection ACCEPTABLE			ACCEPTABLE				
ACCEPTABLE				Ultrasonic inspection				Surface Contamination Test			
Macro/Microstructure				ACCEPTABLE			ACCEPTABLE				
		A IGATO	i i			. ~					

ACCEPTABLE	Ultrasonic Inspection	Surface Contamination 1651
Macro/Microstructure	The state of the s	ACCEPTABLE
ACCEPTABLE	ACCEPTABLE	nd other requirements for these specifications.
I hereby certify this product confirms to a	it specifically listed technical requirements a	and other requirements for these specifications.
translation the stated duantitative	LEBORY ADOAR ANTON MORE GOLLLAN HAVE	& min amount in
referenced specification requirements. No men	tury contamination and radio-activity.	

Note:

- 1. Hydrogen: Product analysis.
- 2. Residual element: each<0.10%; total<0.40%.
- 3. Heat treatment: 760°C/45'.
- 4. According to PCD ZI/BBD200802 RBV.1 & Bombardier QD 4.6-40 Issue 5.

METALS ATE CHECKED

Isrued No.2010-0

The file copied is invalid.





Packing List

Packing List Cust/Ship to Shipment Dt VAT ID

59259-1 4519/0 08/01/2019 GB 188 2846 16 VAT 20.0%



Ship-To TW Metals UK Majestic Road, Nursling Estate Nursling SOUTHAMPTON SO16 0AF

issued from VAT: QB 976 305301, United Performance Metals Bellyherry Business Center, 6 Berkshire Road NEWTOWNARDS, BT23 7HH

Sold-TO TW Motels UK, TW METALS UK Majestic Road, Nursling Industrial, Estate Southampion, SO 16 0AF

Divy Mthd Prpd LTL.

Traller No

Our Order

27587

Your PO Delivery

ltem. Prepaid

TITANIUM BALAV - SHEET

0.0660" Nom x 36" x 96"

AMS 4911 / Mill - Baoji Titanium Industry

Shaw Stephens

Ven Tag ID

20142018

Tag 23617C

Lift 1 W1-4334

PC8

Shp MI

Certificate

Package Type: Light weight Crate 43"x98"x9" (LW1-4334)41.75

Tare Gross 110

Net(LBS)

Mill Cert

Total Packages for the Shipment

(+ 44) 2891 817919 (+ 44) 2891 817919

(+ 44) 2891 828194 (+ 44) 2891 828194

inside Sip
Taken-by Sip These commodities, technology, or software are subject to the export controls administered by the United Kingdom and United States governments. Any export from these countries is in accordance with the applicable export regulations. Diversion contrary to U.K. and U.S. law is prohibited.

Mercury Exclusion: At no time during the handling or storage of this material at UPM was it near, or in contact with mercury. There is no mercury in the facility.

Certificate of Conformance and Authersticity

Certificate of Conformance and Authersticity

Certificate of Conformance and Authersticity

The celler of this material hereby declares and certifies barring previously spacowed exceptions, reservations, exceptions or as detailed within this document that the supplied for the referenced purchase order conforms and complies with sared, as-ordered surchase order requirements inclusive of any and all drawings, specifications, supplied for the referenced purchase order conforms and complies with sared, as-ordered surchase order requirements inclusive of any and all drawings, specifications, as-ordered surchase order requirements.

Haberial is transsible to heat/lot number and grain direction crientation (if requirement is specified) through receipt from producer chrough delivery to purchaser.

The product has been processed within the steps of our approved in 9100/9120 and/or 150 8001/12468 Quality Management System as applicable par the facility processing location.

All distributor requirements of ASS319 have been complied with.

All testing, inspection, and other essential supporting documents are retained on file.
This material is free of weld repair and has not come in contact with mateury or other low material is free of weld repair and has not come in contact with mateury or other low material is free of weld repair and has not come in contact with mateury or other low material is free of weld repair and has not come in contact with mateury or other low material is free of weld repair and has not come in contact with mateury or other low materials. The solver activated as a reason of the solver and contents which represents the date in whole as a feloay under U.S. Federal and Incornational The solver actnowledges that recording of false, flocticious, or franchisent expensence or date entries on decounters is punishable as a feloay under U.S. Federal and Incornational Sections and Informational Section (as a feloay under U.S. Federal and Incornational Section as a feloay under U.S. Federal and Incornational Section as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal and Incornational Section (as a feloay under U.S. Federal Andrews (as a feloay under U.S. Federal Andrews

The product being furnished is genulse, now, unused and is not defective, suspect, or counterfeit unless otherwise specified in writing herein; is suitable for the intentity product being furnished is genulse, now, unused and is not defective, suspect, or counterfeit unless otherwise specified in writing herein; is suitable for the intentity product being furnished is genulse, now, unused and is not defective, suspect, or counterfeit unless otherwise specified in writing herein; is suitable for the intentity product to the provided under false pretentes and has not been reterially eltered, dassigned, deteriorstad, or degreeded. Please direct quality related inquires to furnished and its location from which the enterial shipped.

**Restaurable for the intention of the intention

Quality Solutions, Trusted Partners.

08/01/2019

13:17

00

Copy Number



TW Metals Ltd Supplier Test Certificate Front Page


PO No

30566001

0002

Batch

3025613



DELIVERY NOTE

TW METALS LTD

Majestic Road, Nursling Estate Southampton, SO16 0AF, UK Telephone +44 (0) 23 8073 9333 Fax +44 (0) 23 8073 9601 www.twmetals.co.uk

VAT REG NO : GB188 2846 16

PAGE 1 of 1

		VEHICLE NO
CARRIER		
OUR TRUCK		
INVOICE NO	DELIVERY REFERENCE	DATE
30796519	3011617/30796519	15-01-2019
	CUSTOMERS REFERENCE	

CUSTOMER PO : CPE116288 CONTACT NAME :

ANTHONY



DELIVERY ADDRESS

A J Walter Aviation Ltd The Headquarters Maydwell Avenue Slinfold West Sussex

RH1	i3 0AS .NO.: 01403-711777				CHA HEA GIVE
5,400	DESCRIPTION OF PACKAGES	LENGTH	WEIGHT	AREA	.
PKGS	DESCRIPTION OF TAGINGES				
١,	PALLET	2.5100	40	OWN	
-	FAILE	1.0600			
		.2200			
}		1			

TERMS AND CONDITIONS

THE SELLER SHALL NOT BE LIABLE IN RESPECT OF ANY CLAIM FOR SHORTAGES OR DAMAGE MADE MORE THAN FIVE DAYS AFTER DELIVERY.

CARRIAGE IS PRE-PAID AND ARGED WHERE APPLICABLE

ALTH AND SAFETY AT WORK EN ON REQUEST

Chatchag Coby

GOODS ARE ONLY CARRIED SUBJECT TO CONDITIONS OF CARRIAGE AVAILABLE ON REQUEST

1		1		
<u>_</u>		DESCRIPTION OF GOODS	PART NO	TARRIF CODE
QUANTITY	UNITS			
1.000	EA	AMS4911		
	}	6AL-4V		
	1 1	Titanium Flat Sheet 0.056" THICK SHEET		1
		2438.4 X 36"		
		TO BE RATED		
Į		10 BE 14:122		
				1
				}
				1
	1			
				Attached Documents
				C OF C
				Test Cert
	1			
·			L C CTANDARD	



DELIVERY NOTE

TW METALS LTD

Majestic Road, Nursling Estate Southampton, SO16 0AF, UK Telephone +44 (0) 23 8073 9333 Fax +44 (0) 23 8073 9601 www.twmetals.co.uk

VAT REG NO: GB188 2846 16

PAGE 1 of 1

CARRIER		VEHICLE NO
OUR TRUCK		
INVOICE NO	DELIVERY REFERENCE	DATE
30796519	3011617/30796519	15-01-2019
	CUSTOMERS REFERENCE	

CUSTOMER PO: CPE116288 CONTACT NAME: ANTHONY



DELIVERY ADDRESS

A J Walter Aviation Ltd The Headquarters Maydwell Avenue Slinfold West Sussex RH13 0AS

TEL NO.: 01403-711777

THE	SE	LLER	SHAL	L NO	T BE	LIABLE
IN	RES	PECT	OF	ANY	CLA	M FOR
SHO	ORTA	GES	OR	DAN	IAGE	MADE
MOI	RF	THAN	I FIV	Æ D	AVS	AFTER

TERMS AND CONDITIONS

DELIVERY.

CARRIAGE IS PRE-PAID AND

HEALTH AND SAFETY AT WORK GIVEN ON REQUEST

CHARGED WHERE APPLICABLE

PKGS	DESCRIPTION OF PACKAGES	LENGTH	WEIGHT	AREA	VEHICLE REG:
1	PALLET	2.5100 1.0600 .2200	40	OWN	RECEIVED BY :
		, 2200			SIGNATURE
					PRINT NAME
	Original Coy				DATE
	Por Charles Services				GOODS ARE ONLY CARRIED SUBJECT TO CONDITIONS OF CARRIAGE AVAILABLE ON REQUEST

QUANTITY	UNITS	DESCRIPTION OF GOODS	PART NO	TARRIF CODE
QUANTITY 1.000	EA	AMS4911 6AL-4V Titanium Flat Sheet 0.056" THICK SHEET 2438.4 X 36" TO BE RATED	Loaded By	TARRIF CODE
			Date	Attached Documents C OF C Test Cert