



Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXAerospace.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

J3HHY2

PAGE 1

SOLD TO:

006419
AJ WALTER AVIATION LTD
THE HEADQUARTERS
MAYDWELL AVENUE
SLINFOLD RH13 0AS
ENGLAND



SHIP TO:

AJ WALTER AVIATION LTD
THE HEADQUARTERS
MAYDWELL AVENUE
SLINFOLD RH13 0AS
ENGLAND

ORDER NO.		DATE	SHIP VIA	TERMS		SHIPPING TERMS		
CPE2425		02/04/16	FEDEX DOM FR PPD	NET 30		DDP-		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
	30	NSA5414N24-6 TARIFF: 7508.90.5000 Description RIVET, SOLID ECCN :EAR99 CTRL#: 2013A26148 LOT#: 266625 P005 F001 LOT QTY: 30 Country of Origin FRANCE Livraisons intracommunautaires de biens exonerees - Article 262 I-1 du Code General des Impots Autofacturation - VAT representative CMP - 27 Avenue Etienne Audibert Z.I, F-60300 Senlis, France TVA: FR36311551980 <i>These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.</i>		23.340	EA	0	30	700.20
						CONTINUED		
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.								

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 27 AVE ETIENNE AUDIBERT Z.I, F-60305 SENLIS CEDEX, FRANCE

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXAerospace.com/conditions-sale/>



Vice President of Quality



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A546045

of 10 DEC 2012

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 1

KG
Your P.O. nb. : 4500126085
N° ack. : 266625

of : 04 JUL 2012 Supplier number : 101366
of : 04 JUL 2012

Shipment to : (or notify party)

BE AEROSPACE FRANCE
CONSUMABLES MANAGEMENT II
27 AV. ETIENNE AUDIBERT
BP 30169
60305 SENLIS CEDEX
FRANCE



10 005 342 97

ITEM	ORDERED	PART NUMBER	SHIPPED
5	25000 PCE	NSA5414 N 24 - 6 (J) Monel400/NU30/2.4360 mod100 CSK marked No coating square end	25000 PCE 6,825 Kg. **
Your Item : 50			
Technical spec : CM 041			

Lot nb 266625 P005 F001 Qty.: 25000 PCE AHG Wire lot nb.: 197848 Material heat nb.: 63211
NATO Cod : F0095 Origin: France
Manufacture heading date: 29 NOV 2012 Material Producer : DN

Cis./Shear strength 08-058MO	double(D)/simple(S):	S	Rc/shear strength	Mini	Maxi	Value	Unit	Test#
				340.00	450.00	381.94	MPa	2
Durete/Hardness 08-146MO		S	Rc/shear strength	340.00	450.00	377.93	MPa	
Ecrasement/Driveability	conforme: O/N	O	defaults/defects		0.00	0.00		5
Grain size			Taille / Size		5.00	9.50		1

AL	C	CO	CU	FE	MN	NI + CO	P	PB	S	SI
0,00500	0,09600	0,03000	33,52000	1,50000	0,95000	63,83000	0,00400	0,00000	0,00100	0,06000
SN	TI	ZN	ZN+SN+PB							
0,00000	0,00000	0,00700	0,00000							
										NI BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035

Item 5 to be continued

./.



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A546045

of 10 DEC 2012

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2

KG

Your P.O. nb. : 4500126085

of : 04 JUL 2012 Supplier number :

101366

N° ack. : 266625

of : 04 JUL 2012

ITEM	ORDERED	PART NUMBER
Item 5	Continuation	NSA5414 N 24 - 6 (J)

SHIPPED

10 005 342 97

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009
We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

** Estimated quantity

SUPPLIER'S INSPECTION 10 DEC 2012

NAME AND FUNCTION

Gilles GUISSSET CTLEF Chef Service Contrôle

Computer controlled signature



VISA DGAC

Signataire habilité

Agrément JAR 21 DGAC FG097

--- TRUE COPY CERTIFICATION ---

1000534297

DEUTSCHE NICKEL GMBH
Rosenweg 15, 58239 Schwerte, Germany**Certificat de Réception**
EN 10204 - 3.1

No.: 2341 / 2012

ATELIERS DE LA HAUTE GARONNE
ETS AURIOL & CIE
ZI FLOURENS
F - 31131 BALMANo. de la Commande:
115091MPRV (cw36)No. de la Confirmation:
80135205 / 3**Matériel:** Silverin 400
No. de mat.: 2 4360
Demi-produits: fil
Dimension: dia. 2,360 mm**Spécification:** SFT/MO Rev E du 12 1 2011
État de livraison: étire a froid, recuit, qualite rivet**Poids-net:**
542.00 kg**Nombre des Pièces:**
2 caisses**Coulée-No.:**
63211**RÉSULTAT DE MESURE**

Composition chimique (% de masse):

Al 0.005	Co 0.03	Cu 33.52	C 0.096	Fe 1.50	Mn 0.95	Si 0.060
S 0.0010	Ni 63.8					

Résistance à la traction [MPa]
Résistance au cisaillement [MPa]
Allongement à la rupture AL=50 [%]
Grosseur du grain ASTM E112
defect de surface, max. profondeur [µm]582
390 - 398
38.0 - 40.0
10.0 - 10.5
6 - 8

Notre system d'assurance qualité est homologué sous le numéro 922141 chez Lloyd's Register Quality Assurance

Schwerte, 03.07.2012

L'expert



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT

DB

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 14

Shipment number : 106527 of : 02 JAN 2013

Supplier number : 101366

ORDERED	PART NUMBER	SHIPPED	BALANCE
Item 3	Continuation L21215 DC 32 10 J (E)		

10 0 0 5 3 4 2 9 7

CR	CU	FE	FE + MN	MG	MN	SI	TI + ZR	ZN	AL
0,07000	2,80000	0,37000	0,52000	0,42000	0,15000	0,45000	0,02000	0,15000	BALANCE

Your P.O.Number: 4500126085/50

N° Ack/Item: 266625/5

25000 PCE

NSA5414 N 24 - 6 (J)
Monel400/NU30/2.4360
mod100 CSK marked
No coating square end

annealed
no chamfer

25000 PCE
6,825 Kg. **

Technical spec : CM 041

Lot nb 266625 P005 F001 Qty.: 25000 PCE AHG Wire lot nb.: 197848 Material heat nb.: 63211
N° CC: A546045 NATO Cod : F0095 Origin: France
Manufacture heading date: 29 NOV 2012 Material Producer : DN

SUPPLIER'S INSPECTION

NAME AND FUNCTION Gilles GUISET CTLF Chef Service Contrôle
DATE 10 DEC 2012 Computer controlled signature



En application du Règlement REACH, cet article ne contient pas de substance de la liste candidate à plus de 0,1% en poids
In accordance with REACH Regulation, this article doesn't contain substance of candidate list in a conc. above 0,1% w/w

Cis./Shear strength 08-058MO	double(D)/simple(S):	S Rc/shear strength S Rc/shear strength	Mini	Maxi	Value	Unit	Test#
			340.00	450.00	381.94	MPa	2
Dureté/Hardness 08-146MO		Dureté/Hardness		170.00	141.80	HV10	5
		Dureté/Hardness		170.00	150.00	HV10	
		Dureté/Hardness		170.00	141.80	HV10	
		Dureté/Hardness		170.00	145.50	HV10	
		Dureté/Hardness		170.00	141.80	HV10	
Ecrasement/Driveability	conforme: O/N	O defaults/defects		0.00	0.00		5
Grain size		Taille / Size	5.00		9.50		1

Item 5 to be continued

./.



P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.KLXAerospace.com

Shipped From: 27 AVE ETIENNE AUDIBERT Z.I, F-60305 SENLIS CEDEX, FRANCE

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

FIRM: AJ WALTER AVIATION LTD

PURCHASE ORDER#: CPE2425

QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MFR DTE	EXP DATE
30	EA	NSA5414N24-6		266625 P005 F001		



Jason Lewis
Senior Director, Global Quality

02/04/16

Inv # 02/04/16