International Seal Company, Inc. 2041 East Wilshire Ave. d/b/a Freudenberg-NOK Sealing Technologies

Santa Ana, CA 92705 USA

Phone (714) 834-0602 Fax (714) 834-0590 www.fst.com

International Seal Company, Inc.

Page 1 Of 1

----- CERTIFICATE OF CONFORMANCE-----

TO: PROPONENT MAIN WHSE

3120 E. ENTERPRISE STREET

BREA, CA 92821

· Cust. PO NO: 556855-00

Contract NO:

S/O Number: SA165050

Specification: AMS7276H

Our Part Number/Customer P/N Quantity ~~----62AS568-013 V75 48,740.00 VABV46 1019 A\$568-013 V75 AS568-013 V75 REV D COUNTRY OF ORIGIN; USA

Test Description Compression Set 22 hrs @ 392F; set % of original deflection ASTM D395 and ASTM D1414 (as applicable)	Test Results	Requirements
Hardness, Durometer A ASTM D2240	80	70 To 80
Tensile Strength, p.s.i. ASTM D412, ASTM D1414	2195	1400 Min
Ultimate Elongation, % ASTM D412, ASTM D1414	199	125 Min
Specific Gravity ASTM D297	1.85	1.82 To 1.86

This is to certify that the above parts were made in conformity with the specification listed, and that the above test results were obtained. This report shall not be reproduced, except in full, without the written approval of Freudenberg-NOX International Seal Laboratory. Furnished material is Mercury free. Storage Conditions, Age Control, and Maximum Storage Life (shelf life and expiration date) per AS5316. ***Country of Origin is USA***

Title : Quality Assurance Representative

Date : 02/25/19

FREUDENBERG-NXX

INNOVATING TOGETHER

ICN: 575257-02, Doc Date: 3/1/2019 CERTIFIED TRUE COPY

PACK LIST

1 2

Page 1 of 2

Vendor	r denberg- NOK (Loc 62)	Packing List	:	62328912					
Interr	national Seal Co., Inc.	Invoice:		62328912	ı	Date:	02/25/19	9	
	E. Wilshire Ave. a Ana, CA 92705	Credit Terms	s:	1/10N30 1	% 10 D N30				
	ED STATES	Supplier Cod	ie:	734354060	2				
	D#: 95- 2975370- 00								
		Shipper ID/S	iiD.	02320912					
Ship To	0	Sold To 10	9210	72					
	PONENT MAIN WHSE			MAIN WHSE					
	E. ENTERPRISE STREET A. CA 92821	3120 EAST BREA, CA		FERPRISE S	ST.				
	ED STATES	UNITED S							
Tax I	D#:	Tax ID#:							
		Conne Maio	- L /I E	1//C).	20.	0 /	11.8		
	portation and Terms	Gross Weigh	וו (בכ	o/NG):		,			
C	arrier Code: FEDGRD Fedex Ground Collect				0 Pallets		0 Carto	ons	
Fr€	eight Terms:	Bill of Lad	ling:	D6237245					
	EXWorks:								
No. of	Specification of Commodities (Vendor Part #, Part Description,	Sched B	CoO	Due Date	Quantity	LloM	Sales	Order Lir	ne Qty
Pkgs.	Customer part, part description, rev)	Comod D		Buo Buio	additity	00	.	0.00.	BAL
	Contact: INGRID M		-						
	Terms Desc: 1%10N30								
	Carrier: PSI	9							
	ShipTo Name: PROPONENT MAIN WHSE								
	Address: 3120 ENTERPRISE ST.		1						
	City: BREA , CA 92821								
	BIIITO Name: PROPONENT MAIN WHSE								
	Address: 3120 ENTERPRISE ST.								
- 1	City: BREA , CA 92821								
	ORIGIN OF THE GOODS: USA					1	1		
	62AS568- 013 V75 GASKETS, WASHERS & OTHER	3926904500	us	02/25/19	63304.	EA	SA16	5050	1
	AS568- 013 V75				(/			
	Customer Part: (AS568- 013 V75)								
.		1							
	#20190101 TNBV46 9,182.0 20190101 VABV46 48,740.0								
(e)	20.190101 VAD1V46 5,382.0		1	0					
	Item Description: PACKING			COR	CATTA				
	QC1,QC7,QC13		1	0,	C ATT	۹_			
	FORM QC- 101 PURCHASE PLANNER		1		12 4 34	201	77	^	1
	MANUFACTURE, PROCESS AND IDENTIFY COMPLETE PER B/P AND					D 8 11		1)	(
								1/-	,
	DOCUMENTS.		1				/	- 11	1 (1
	NOTE: MATERIAL SHALL CONFORM TO ALL OF THE TECHNICAL		1	1					
							15	75_	VI
	NOTE: MATERIAL SHALL CONFORM TO ALL OF THE TECHNICAL AND QUALITY REQUIREMENTS OF THE LASTEST REVISION OF THE FOLLOWING MATERIALS:							危 信用	W FA
	NOTE: MATERIAL SHALL CONFORM TO ALL OF THE TECHNICAL AND QUALITY REQUIREMENTS OF THE LASTEST REVISION OF THE FOLLOWING MATERIALS: MATL: RINGS, SEALING, FLUOROCARBON (FKM) RUBBER				\wedge			GEO	VEN
	NOTE: MATERIAL SHALL CONFORM TO ALL OF THE TECHNICAL AND QUALITY REQUIREMENTS OF THE LASTEST REVISION OF THE FOLLOWING MATERIALS: MATL: RINGS, SEALING, FLUOROCARBON (FKM) RUBBER PER AMS 7276; HIGH- TEMPERATURE- FLUID RESISTANT				Prop 4			GE I	W E 1
	NOTE: MATERIAL SHALL CONFORM TO ALL OF THE TECHNICAL AND QUALITY REQUIREMENTS OF THE LASTEST REVISION OF THE FOLLOWING MATERIALS: MATL: RINGS, SEALING, FLUOROCARBON (FKM) RUBBER				A A A A A A A A A A A A A A A A A A A			G E 0 FEB 26	W E 2019
	NOTE: MATERIAL SHALL CONFORM TO ALL OF THE TECHNICAL AND QUALITY REQUIREMENTS OF THE LASTEST REVISION OF THE FOLLOWING MATERIALS: MATL: RINGS, SEALING, FLUOROCARBON (FKM) RUBBER PER AMS 7276; HIGH- TEMPERATURE- FLUID RESISTANT				Angel To Carlot			FEB 26	W E 2019

ICN: 575257-02, Doc Date: 3/1/2019 CERTIFIED TRUE COPY

PACK LIST

Page 2 of 2

Inter 2041 Sant UNIT	denberg- NOK (Loc 62) national Seal Co., Inc. E. Wilshire Ave. a Ana, CA 92705 FED STATES ID#: 95- 2975370- 00		Packing List Invoice: Credit Term Supplier Co Shipper ID/S	s: de: SID:		% 10 D N30	Date:	02/25/19	•		
3120 BRE	PONENT MAIN WHSE DE. ENTERPRISE STREET A, CA 92821 TED STATES ID#:			FEN1 9282		т					
Trans	portation and Terms		Gross Weig	ht (LE	3/KG):	26.) /	11.8			
c	arrier Code: FEDGRD Fed	ex Ground Collect				0 Pallets		0 Carto	ns		
	eight Terms: EXWorks:		Bill of Lac	ding:	D6237245						
lo. of kgs.	Specification of Commodities Customer part, part description	s (Vendor Part #, Part Description, n, rev)	Sched B	CoO	Due Date	Quantity	UoM	Sales	Order	Line	Qty BAL
	FLUID AND COMPRESSIO TYPE I, CLASS 1, 75 HARD PER SPEC). PER MIL- R- 8 IS SUITABLE REPLACEME NOTE: AMS7280 IS OBSOI SPECIFICATION. KAPCO PURCHASE PLAN QC1,QC7,QC13 FORM QC- 101 PURCHAS! MANUFACTURE,PROCES! DOCUMENTS. NOTE: MATERIAL SHALL AND QUALITY REQUIREM OF THE FOLLOWING MAT MATL: RINGS, SEALING, F PER AMS 7276; HIGH- TE! LOW COMPRESSION SET MATL: RUBBER, FLUORO FLUID AND COMPRESSIC TYPE I, CLASS 1, 75 HARI PER SPEC). PER MIL- R- 8 IS SUITABLE REPLACEME NOTE: AMS7280 IS OBSOI SPECIFICATION.	ENT FOR TYPE I, CLASS 1 LETE AND SUPERSEDED BY AMS7276 PI NER REVISION LEVEL: 002 E PLANNER S AND IDENTIFY COMPLETE PER B/P AN CONFORM TO ALL OF THE TECHNICAL IENTS OF THE LASTEST REVISION 'ERIALS: FLUOROCARBON (FKM) RUBBER MPERATURE- FLUID RESISTANT	ID TURE,						l		

ICN: 575257-02, Doc Date: 3/1/2019 CERTIFIED TRUE COPY



SHIPPING:

PARCO, INC. 1801 S. Archibald Ave. Ontario, California 91761 (909) 947-2200 Fax (909) 923-0288

PACKING LIST 87173

580353-00 Purchase Order **PROPONENT** Ship Buyer COREY 3120 E. ENTERPRISE ST. Specification AMS P 83461 BREA CA 92821 Certification Type Al Sales Order 62314 05/01/19 Date Entered **PROPONENT** Account 5486-01 3120 E ENTERPRISE ST 06/19/19 Date Shipped Bill BREA CA 92821 Ship Via FEDEX GROUND COL Τо Bill of Lading 00106815155038 No. of Cartons Gross Weight (lbs.) 10

Line	Customer Part	Rev.	Part	Compound	Quantity	Batch	Date Cured		CO0
01	M83461/1-146	C.	0568-146	4367-70	2,875	64231	2Q 19	บร	-
	O-RING (DIV 5	57)		NET WEIGHT	9.48 LE	BS.			
	75-DUROMETER								





Remarks:		MATERIAL CERTIFICATION
SHIPPING: QUAL CLERK	DO NOT UNDERSHIP, -0/+15% MERCURY FREE CERT REQ	See Separate Certification
SHIPPING:	CURE DATE MAY NOT BE MORE THAN 12 QUARTERS OLD.	
SHIPPING: QC CLERK:	FEDEX 090022016 COO AND SHELF LIFE REQ ON CERT	

CALL CSR IF MORE THAN 5 BOXES

TOTALLING OVER 100LBS

Packed By Shipped By OO OO

Approved By OO

ICN: 602777, Doc Date: 6/26/2019 CERTIFIED TRUE COPY



PARCO, INC. 1801 S. Archibald Avenue Ontario, California 91761 (909) 947-2200 Fax (909) 923-0288

MATERIAL CERTIFICATION
Type AI No. 35941

Account Name	PROPONENT	Account No.	5486-01
Purchase Order	580353-00	Sales Order	62314-01
Customer Part	M83461/1-146 REV. C	Parco Part	0568-146
Material Specification	AMS P 83461 REV. NC	Compound	4367-70
Product	O-RING	Shipping Order	49221
Elastomer	NITRILE	Date Prepared	6/19/2019
Color	BLACK	Prepared By	C. JUSTICE
Quantity Shipped	2,875		

I certify the following about the parts described above:

- 1. Parco manufactured the parts as follows: Batch 64231 Date Cured 2Q 19.
- Quality conformance tests were performed on M83461/1-214 O-rings or standard hardness discs as required by paragraphs 4.4.2 and 4.4.5 of specifications MIL-P-83461B (Amendment 3) and AMS-P-83461, Rev. None. The following shows conformance to those requirements.

Physical Property	Requirement	Result	ASTM Test <u>Method</u>
Batch			
Original physical properties:			
Hardness, Shore A	70 to 80	78	D2240
Specific gravity	1.22 to 1.26	1.25	D297
Tensile strength, psi	1350 to 1984	1769	D1414
Ultimate elongation, pct.	125 to 180	140	D1414
Modulus at 100 pct. elongation, psi, min.	650	995	D1414
Temperature retraction, TR-10, °F, max.	-49	-56	D1329
Fluid Aging, ARM 201 (AMS 3020):			Para.
70 hours at 135°C (275°F)			4.6.2
Compression Set,			
pct. of original deflection, max.	35	11	
Temperature retraction, TR-10, °F, max.	-49	-53	/12\
Hardness change, pts., Shore A	~10 to 5	-5	(PROPORONT)
Volume change, pct.	10 to 20	13	GIAN
Compression set,			D395
70 hours at 135°C (275°F)			Method B
pct. of original deflection, max.	67	54	D1414

- 3. Parco compound 4367-70 is listed on PRI-QPL-AMS-P-83461, letter dated August 27, 2018.
- Per SAE AS5316, the shelf life of these parts is 15 years from cure date when packaged and stored in accordance with that standard.

Supplemental Information: SHELF LIFE 15 YEARS, COUNTRY OF ORIGIN USA.

ICN: 602777, Doc Date: 6/26/2019 CERTIFIED TRUE COPY

Michael Young, Quality Manager

Distribution: copy to customer. FORM 2493 Rev. 12/18



PARCO, INC. 1801 S. Archibald Avenue Ontario, California 91761 (909) 947-2200 Fax (909) 923-0288

Certificate of Freedom from Mercury Contamination No. 16172

Account Name	PROPONENT	Account No.	5486-01
Purchase Order	580353-00	Sales Order	62314-01
Customer Part	M83461/1-146 REV. C	Parco Part	0568-146
Elastomer	NITRILE	Compound	4367-70
Shipping Order	49221	Date Prepared	6/19/2019
Quantity Shipped	2,875	Prepared By	C. JUSTICE

 Batch
 Date Cured

 64231
 2Q 19

Parco has assured that all mercury-bearing instruments, apparatus and equipment are enclosed in a
double boundary of containment. Parco does not handle mercury or its compounds anywhere in the
manufacturing plant.

2. The product above is free from mercury contamination.



Michael Young, Quality Manager

Distribution: 2 copies to customer

Rev. 01/09

ICN: 602777, Doc Date: 6/26/2019 CERTIFIED TRUE COPY

INTERNATIONAL SEAL

Virgil O. Harris Proponent 3120 E. Enterprise St. Brea, CA. 92821

Email: vharris@proponent.com

Subject: M83248/1-*** Rev: A (As referenced in AS83248/1 Rev: A)

Re: Certification of Compliance to Drawing Requirements

Please be advised that International Seal-FNGP Simrit part number AS568-*** V75 Rev: D meets the dimensional requirements and procurement specification (referenced material specification) for the subject drawing.

Note: asterisk *** refers to the entire range of listed part number standard sizes on the subject drawing.

This letter, in conjunction with the referenced manufacturing certification, indicates compliance of our certified part number and the referenced procured customer part number.

In order for this certification to be valid the data box below must be complete for the procured customer part number.

Please contact me if you have any questions.

Customer Part Number:	M83248/1-013	i
Manufacturer's Batch Number:	VABV46	
Proponent Lot Number:	575257-02	,
Certification Date:	02-28-19	

Sincerely,

Gerardo Montano

Gerardo Montano

Quality Manager

International Seal - Freudenberg-NOK Sealing Technologies

cc: Sean Morgan

Certified True Copy PROPONENT

2041 East Wilshire Ave. Santa Ana, CA 92705

Phone: (714) 834-0602 Fax: (714) 834-0590