



## Packing Slip



\*\* PLEASE RECYCLE RESPONSIBLY \*\*

Packing Slip: 9948257476

Page: 1

Bill To: 5574  
BOXING DIST SERVICES INC  
ATTN: ACCOUNTS PAYABLE  
P.O.BOX 025263  
MIAMI FL 33102-5263  
USA

Ship To: 5574-27  
BOXING DIST SERVICES  
3760 W 108TH STREET  
DOCK DOOR B  
MIAMI FL 33018  
USA

From:  
HOWMET FASTENING SYSTEMS  
FULLERTON OPERATIONS PLANT 1  
800 SOUTH STATE COLLEGE  
FULLERTON CA 92831  
USA  
714-871-1550

Notice to Subsequent Purchaser or Repacker.  
These articles are imported. The requirements of 19 U.S.C. 1304 & CFR part 134 provide that the articles or their containers must be marked in a conspicuous place as legibly, indelibly & permanently as the nature of the manner as to indicate to an ultimate purchaser in the United States, the English name of the country of origin of the article.

## Order Contact:

=====

| Pack Date | Order # | Cust PO | Ship Via | Weight | Pkgs # |
|-----------|---------|---------|----------|--------|--------|
| 11/29/21  | F677776 | 00FFX40 |          |        |        |

=====

Check Shipping Notes

=====

| Line/Rel | Item    | U/M | Qty Ordered | Qty To Pack |
|----------|---------|-----|-------------|-------------|
| 7-1      | A 5280  |     | 250,000     | 714705      |
|          | HTS L08 |     |             |             |

=====

C/I: MS21042L08 Rev 3

PO Item #: 7

Cust Date: 10/15/21

Kay Date: 01/31/21

\*\*\* TSO C-148 APPVD PART. TSO LABEL REQ'D \*\*\*

Lot: M092210-000 COO:MEXICO

Waybill: \_\_\_\_\_ ECCN:EAR99 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0085

The export classification appears above. You are responsible for all related export license requirements.

MFG C OF C CHEM & PHYS TEST REPORT REQ  
CHARGES ON LINE # 8 INVOICE WITH LI

## CERTIFICATE OF CONFORMANCE

The product defined herein has been manufactured and inspected in conformance with contractual requirements. All dimensional, mechanical and metallurgical tests were conducted in accordance with, and conform to, the requirements of the applicable drawing(s) and specification(s). All required processing, chemical and physical test reports are on file and subject to examination.

The item or part ("Part") released on this Certificate of Conformance (CofC) certifies that the Part meets the performance requirements in accordance with customer's drawings, specifications, and other applicable documents agreed by the parties ("Performance Requirements"). Customer is responsible to ensure that the end use application for the Part is appropriate in light of such Performance Requirements, and further that the Part (as used) meets all applicable laws, regulations, requirements, standards and good aviation industry practices, including but not limited to the Federal Aviation Administration (FAA), European Aviation Safety Agency (EASA) and Civil Aviation Authority (CAA). Should a Part be used in an application that exposes it to conditions beyond the Performance Requirements, this CofC will not apply.

This certification shall not be reproduced except in full without the written approval of HFS. Any alteration to: 1) this certificate, 2) any supporting certifications, or 3) the parts covered by this certificate voids this certification any affirmations related to the parts made by HFS. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.

HOWMET GLOBAL FASTENING SYSTEMS INC.

CAGE CODES: Kaynar Products - 15653

Eagle Products - 68776 • Rosan Products - 68776 • Republic Products - 52828

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO SP5-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

ROQUE GARCIA  
Interim QA Manager  
Fullerton Operations



## Packing Slip



\*\* PLEASE RECYCLE RESPONSIBLY \*\*

Packing Slip: 9948257476

Page: 2

Bill To: 5574  
BOEING DIST SERVICES INC  
ATTN: ACCOUNTS PAYABLE  
P.O.BOX 025263  
MIAMI FL 33102-5263  
USA

Ship To: 5574-27  
BOEING DIST SERVICES  
3760 W 108TH STREET  
DOCK DOOR B  
MIAMI FL 33018  
USA

From:  
HOWMET FASTENING SYSTEMS  
FULLERTON OPERATIONS PLANT 1  
800 SOUTH STATE COLLEGE  
FULLERTON CA 92831  
USA  
714-871-1550

Notice to Subsequent Purchaser or Repacker.  
These articles are imported. The requirements of 19 U.S.C. 1304 & CFR part 134 provide that the articles or their containers must be marked in a conspicuous place as legibly, indelibly & permanently as the nature of the manner as to indicate to an ultimate purchaser in the United States, the English name of the country of origin of the article.

## Order Contact:

=====

| Pack Date | Order # | Cust PO | Ship Via             | Weight | Pkgs # |
|-----------|---------|---------|----------------------|--------|--------|
| 11/29/21  | F677776 | 00FFX40 | Check Shipping Notes |        |        |

=====

Line/Rel Item U/M Qty Ordered Qty To Pack

NE # 7  
DUAL CERT TO: NAS1291-08

SHIPPING: FEDX GRD COLLECT ACCT# 633948  
178 IF 150 LBS OR MORE: SHIP FEDEX  
FREIGHT ECONOMY COLLECT ACCT# 693788919.

DO NOT SHIP BY ANY OTHER CARRIER  
WITHOUT PROPER WRITTEN AUTHORIZATION  
CERT REQTS: MFG'S C OF C, TEST REPORTS,  
RAW MAT'L  
QUALITY REQTS: BAR CODE PER QAP 33 CLAU  
SE P REQUIRED;  
QAP 33.0 REV P CLAUSES: E.1,E.3,A,A.1,B,  
C,E,H,P,U,V. CLAUSE A.3 GENERAL  
TERMS APPLIES.  
DO NOT INSURE OR DECLARE A VALUE FOR THI  
S SHIPMENT

## CERTIFICATE OF CONFORMANCE

The product defined herein has been manufactured and inspected in conformance with contractual requirements. All dimensional, mechanical and metallurgical tests were conducted in accordance with, and conform to, the requirements of the applicable drawing(s) and specification(s). All required processing, chemical and physical test reports are on file and subject to examination.

The item or part ("Part") released on this Certificate of Conformance (CofC) certifies that the Part meets the performance requirements in accordance with customer's drawings, specifications, and other applicable documents agreed by the parties ("Performance Requirements"). Customer is responsible to ensure that the end use application for the Part is appropriate in light of such Performance Requirements, and further that the Part (as used) meets all applicable laws, regulations, requirements, standards and good aviation industry practices, including but not limited to the Federal Aviation Administration (FAA), European Aviation Safety Agency (EASA) and Civil Aviation Authority (CAA). Should a Part be used in an application that exposes it to conditions beyond the Performance Requirements, this CofC will not apply.

This certification shall not be reproduced except in full without the written approval of HFS. Any alteration to: 1) this certificate, 2) any supporting certifications, or 3) the parts covered by this certificate voids this certification any affirmations related to the parts made by HFS. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.

HOWMET GLOBAL FASTENING SYSTEMS INC.

CAGE CODES: Kaynar Products - 15653 • Eagle Products - 66776 • Rosan Products - 66778 • Republic Products - 52828

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

ROQUE GARCIA  
Interim QA Manager  
Fullerton Operations



## Packing Slip



\*\* PLEASE RECYCLE RESPONSIBLY \*\*

Packing Slip: 9948257476

Page: 3

Bill To: 5574  
BOEING DIST SERVICES INC  
ATTN: ACCOUNTS PAYABLE  
P.O.BOX 025263  
MIAMI FL 33102-5263  
USA

Ship To: 5574-27  
BOEING DIST SERVICES  
3760 W 108TH STREET  
DOCK DOOR B  
MIAMI FL 33018  
USA

From:  
HOWMET FASTENING SYSTEMS  
FULLERTON OPERATIONS PLANT 1  
800 SOUTH STATE COLLEGE  
FULLERTON CA 92831  
USA  
714-871-1550

Notice to Subsequent Purchaser or Repacker.  
These articles are imported. The requirements of 19 U.S.C. 1304 & CFR part 134 provide that the articles or their containers must be marked in a conspicuous place as legibly, indelibly & permanently as the nature of the manner as to indicate to an ultimate purchaser in the United States, the English name of the country of origin of the article.

## Order Contact:

=====

| Pack Date | Order # | Cust PO | Ship Via             | Weight | Pkgs # |
|-----------|---------|---------|----------------------|--------|--------|
| 11/29/21  | F677776 | 00FFX40 | Check Shipping Notes |        |        |

=====

Line/Rel Item U/M Qty Ordered Qty To Pack

HFS COMPLIES WITH DEARS 252.225-7409 RE

CLAUSE E.1 & E.3 APPLIES IN ADDITION TO  
CLAUSE E

REV. 2

BUYER: Debora Rosales

PHONE:

SHIPPING: FEDX GRD COLLECT ACCT# 633948

178 IF 150 LBS OR MORE: SHIP FEDEX

FREIGHT ECONOMY COLLECT ACCT# 693788919.

DO NOT SHIP BY ANY OTHER CARRIER

WITHOUT PROPER WRITTEN AUTHORIZATION

CERT REQTS: MFG'S C OF C, TEST REPORTS,

RAW MAT'L AND PROCESS CERTS

QUALITY REQTS: BAR CODE PER

QAP 33.0 REV Q CLAUSES: A, A.1, B, C, E, H, P,

U, V. CLAUSE A.3 GENERAL TERMS

## CERTIFICATE OF CONFORMANCE

The product defined herein has been manufactured and inspected in conformance with contractual requirements. All dimensional, mechanical and metallurgical tests were conducted in accordance with, and conform to, the requirements of the applicable drawing(s) and specification(s). All required processing, chemical and physical test reports are on file and subject to examination.

The item or part ("Part") released on this Certificate of Conformance (CoC) certifies that the Part meets the performance requirements in accordance with customer's drawings, specifications, and other applicable documents agreed by the parties ("Performance Requirements"). Customer is responsible to ensure that the end use application for the Part is appropriate in light of such Performance Requirements, and further that the Part (as used) meets all applicable laws, regulations, requirements, standards and good aviation industry practices, including but not limited to the Federal Aviation Administration (FAA), European Aviation Safety Agency (EASA) and Civil Aviation Authority (CAA). Should a Part be used in an application that exposes it to conditions beyond the Performance Requirements, this CoC will not apply.

This certification shall not be reproduced except in full without the written approval of HFS. Any alteration to: 1) this certificate, 2) any supporting certifications, or 3) the parts covered by this certificate voids this certification any affirmations related to the parts made by HFS. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.

*Roque Garcia*

ROQUE GARCIA  
Interim QA Manager  
Fullerton Operations

## HOWMET GLOBAL FASTENING SYSTEMS INC.

CAGE CODES: Kaynar Products - 15653 • Eagle Products - 66776 • Rosan Products - 66776 • Republic Products - 52828  
ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY



## Packing Slip



\*\* PLEASE RECYCLE RESPONSIBLY \*\*

Packing Slip: 9948257476

Page: 4

Bill To: 5574  
BOEING DIST SERVICES INC  
ATTN: ACCOUNTS PAYABLE  
P.O.BOX 025263  
MIAMI FL 33102-5263  
USA

Ship To: 5574-27  
BOEING DIST SERVICES  
3760 W 108TH STREET  
DOCK DOOR B  
MIAMI FL 33018  
USA

From:  
HOWMET FASTENING SYSTEMS  
FULLERTON OPERATIONS PLANT 1  
800 SOUTH STATE COLLEGE  
FULLERTON CA 92831  
USA  
714-871-1550

Notice to Subsequent Purchaser or Repacker.  
These articles are imported. The requirements of 19 U.S.C. 1304 & CFR part 134 provide that the articles or their containers must be marked in a conspicuous place as legibly, indelibly & permanently as the nature of the manner as to indicate to an ultimate purchaser in the United States, the English name of the country of origin of the article.

## Order Contact:

=====

| Pack Date | Order # | Cust PO | Ship Via             | Weight | Pkgs # |
|-----------|---------|---------|----------------------|--------|--------|
| 11/29/21  | F677776 | 00FFX40 | Check Shipping Notes |        |        |

=====

| Line/Rel | Item | U/M | Qty Ordered | Qty To Pack |
|----------|------|-----|-------------|-------------|
|----------|------|-----|-------------|-------------|

APPLIES.

D NOT INURE OR DECLARE A VALUE FOR THE  
S SHIPMENT

HFS COMPLIES WITH DFARS 252.225-7009 REQ

BUYER:

chem &amp; phys certs

PHONE:

## CERTIFICATE OF CONFORMANCE

The product defined herein has been manufactured and inspected in conformance with contractual requirements. All dimensional, mechanical and metallurgical tests were conducted in accordance with, and conform to, the requirements of the applicable drawing(s) and specification(s). All required processing, chemical and physical test reports are on file and subject to examination.

The item or part ("Part") released on this Certificate of Conformance (CoC) certifies that the Part meets the performance requirements in accordance with customer's drawings, specifications, and other applicable documents agreed by the parties ("Performance Requirements"). Customer is responsible to ensure that the end use application for the Part is appropriate in light of such Performance Requirements, and further that the Part (as used) meets all applicable laws, regulations, requirements, standards and good aviation industry practices, including but not limited to the Federal Aviation Administration (FAA), European Aviation Safety Agency (EASA) and Civil Aviation Authority (CAA). Should a Part be used in an application that exposes it to conditions beyond the Performance Requirements, this CoC will not apply.

This certification shall not be reproduced except in full without the written approval of HFS. Any alteration to: 1) this certificate, 2) any supporting certifications, or 3) the parts covered by this certificate voids this certification any affirmations related to the parts made by HFS. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.

*Rogue Garcia*  
ROQUE GARCIA  
Intern QA Manager  
Fullerton Operations

## HOWMET GLOBAL FASTENING SYSTEMS INC.

CAGE CODES: Kaynar Products - 15653 • Eagle Products - 66778 • Rosan Products - 66776 • Republic Products - 52828  
ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY



Howmet Fastening Systems  
Fullerton Operations Plant 1  
800 S. STATE COLLEGE BLVD.  
FULLERTON, CA 92831

NO. 8279307 Page 1 of 3

Lot No.  
M092210-000

## TEST REPORT

|  |                              |  |                                |
|--|------------------------------|--|--------------------------------|
| Supplier Item No.<br><b>AAE280</b>   |                              | Supplier Part No.<br><b>H14L08</b>               |                                |
| Interchange Part No.<br><b>H14L08 Rev. E</b>   |                              | Interchange Part No.<br><b>MS21042L08 Rev. 3</b> |                                |
| Interchange Part No.<br><b>NAS1291-08 Rev. 15</b>  |                              |  |                                |
| Manufactured Quantity<br><b>96,649</b>   | Mfg. Date<br><b>09/29/21</b> | Generic Description<br><b>NUT 6 POINT</b>        | Thread Size<br><b>.1640-32</b> |
| Heat Treat<br><b>AMS-H-6875 REV. B</b>   |                              | Plating<br><b>AMS-QQ-P-416 TY 2 CL 2 REV. E</b>  |                                |
| Lubrication<br><b>AS5272 REV. F TYPE 1</b>   |                              | PERFORMANCE<br><b>NASM25027 REV. 1</b>           |                                |
| Material Spec. # 1<br><b>AMS 6322-R</b>  |                              | Mill Heat No.<br><b>10706420</b>                 |                                |
| Control Heat No.<br><b>BE24952A</b>  |                              | Material Supplier<br><b>WIRETECH INC</b>         |                                |
| Special Process Requirements:<br><b>THREADS AND GAUGING PER AS8879D<br/>and ASME B1.3M SYS. 22<br/>MIN EQUALS BKWY MAX EQUALS INST</b> |                              |  |                                |

This document shall not be reproduced, except in full, without the written approval of A/SST.

### TEST RESULTS

| TEST                            |  |  | UOM | SAMPLE<br>Number | RESULT<br>Cycle | MINIMUM<br>Value | MAXIMUM<br>Value | PASS/<br>Fail | MINIMUM<br>Requirement | MAXIMUM<br>Requirement |
|---------------------------------|--|--|-----|------------------|-----------------|------------------|------------------|---------------|------------------------|------------------------|
| 1 - 010 TORQUE TEST             |  |  | IN# | 1                | 1               | 9.30             | 9.90             |               | 1.50                   | 15.00                  |
| MAX 15, MIN 1.5 (CYCLES 1,7,15) |  |  |     |                  | 7               | 8.60             | 7.75             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 7.60             | 6.60             |               |                        |                        |
|                                 |  |  |     | 2                | 1               | 4.80             | 5.25             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 3.30             | 3.35             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 3.20             | 2.95             |               |                        |                        |
|                                 |  |  |     | 3                | 1               | 8.55             | 9.15             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 7.35             | 6.90             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 6.40             | 5.85             |               |                        |                        |
|                                 |  |  |     | 4                | 1               | 5.60             | 5.85             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 3.85             | 3.55             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 3.45             | 3.30             |               |                        |                        |
|                                 |  |  |     | 5                | 1               | 7.30             | 7.90             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 5.65             | 5.75             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 5.20             | 5.60             |               |                        |                        |
|                                 |  |  |     | 6                | 1               | 8.00             | 9.00             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 5.40             | 5.70             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 5.70             | 5.60             |               |                        |                        |
|                                 |  |  |     | 7                | 1               | 8.95             | 8.10             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 6.80             | 5.50             |               |                        |                        |
|                                 |  |  |     |                  | 15              | 5.20             | 5.00             |               |                        |                        |
|                                 |  |  |     | 8                | 1               | 8.85             | 9.05             |               |                        |                        |
|                                 |  |  |     |                  | 7               | 7.60             | 6.90             |               |                        |                        |

TEST RESULTS - Continued on next page

**THIS REPORT MUST NOT BE REPRODUCED IN FULL AND RELATES ONLY TO THE ITEM IDENTIFIED**

The product identified on this Certificate has been manufactured, tested and unless otherwise noted, conforms in all respects to the applicable drawings, specifications and standards. Complete reports of physical and chemical tests are on file for examination. If no specified customer quality level is required, goods conform to sellers quality level. All Damages Exceeding Price are Excluded. For items certified to BPS-N-70 alloy verification has been performed on parts with a date of manufacturing on or after January 1, 2001. Quality system sampling plan conforms to the requirement of QAP EQ001, QAP EQ002, QAP EQ003. The recording of false, fictitious, or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



*Roque Garcia*

ROQUE GARCIA, INTERIM QA MANAGER

HOWMET GLOBAL FASTENING SYSTEMS INC

SHIPPER#: 9948257476

Rev. 04/20 Form 11199

|   |     | Howmet Fastening Systems<br>Fullerton Operations Plant 1<br>800 S.STATE COLLEGE BLVD.<br>FULLERTON, CA 92831 |              | NO.<br><b>8279307</b>         |               | Page 2 of 3  |                     |                     |
|--|-----|--|--------------|-------------------------------|---------------|--|---------------------|---------------------|
| <b>TEST REPORT</b>   |     |  |              | Lot No.<br><b>M092210-000</b> |               |  |                     |                     |
| Supplier Item No.<br><b>AAE280</b>   |     | Supplier Part No.<br><b>H14L08</b>   |              |                               |               |  |                     |                     |
| <b>TEST RESULTS - Continued from previous page</b>   |     |  |              |                               |               |  |                     |                     |
| No. Description  | UOM | SAMPLE Number  | RESULT Cycle | MINIMUM Value                 | MAXIMUM Value | PASS/Fail  | MINIMUM Requirement | MAXIMUM Requirement |
|  |     | 9  | 15           | 6.60                          | 6.65          |  |                     |                     |
|  |     |  | 1            | 6.20                          | 7.35          |  |                     |                     |
|  |     |  | 7            | 4.40                          | 4.65          |  |                     |                     |
|  |     | 10   | 15           | 4.45                          | 4.25          |  |                     |                     |
|  |     |  | 1            | 6.10                          | 5.70          |  |                     |                     |
|  |     |  | 7            | 4.40                          | 3.25          |  |                     |                     |
|  |     | 11   | 15           | 4.05                          | 3.60          |  |                     |                     |
|  |     |  | 1            | 10.05                         | 10.95         |  |                     |                     |
|  |     |  | 7            | 8.50                          | 8.30          |  |                     |                     |
|  |     | 12   | 15           | 7.25                          | 8.10          |  |                     |                     |
|  |     |  | 1            | 7.45                          | 8.60          |  |                     |                     |
|  |     |  | 7            | 5.45                          | 5.40          |  |                     |                     |
|  |     | 13   | 15           | 4.75                          | 5.20          |  |                     |                     |
|  |     |  | 1            | 8.40                          | 9.60          |  |                     |                     |
|  |     |  | 7            | 9.00                          | 7.55          |  |                     |                     |
| 14   | 15  | 6.50   | 6.80         |                               |               |  |                     |                     |
|  | 1   | 8.00   | 9.25         |                               |               |  |                     |                     |
|  | 7   | 6.40   | 6.75         |                               |               |  |                     |                     |
| 15   | 15  | 6.10   | 6.60         |                               |               |  |                     |                     |
|  | 1   | 6.60   | 6.90         |                               |               |  |                     |                     |
|  | 7   | 3.90   | 3.45         |                               |               |  |                     |                     |
| 2 - 020 TENSILE TEST<br>MIN 2490 LBS   | LBS | 1  | 15           | 6.10                          | 3.45          |  | 2490.00             |                     |
|  |     |  | 1            | 2899.77                       |               |  |                     |                     |
|  |     |  | 1            | 2622.12                       |               |  |                     |                     |
|  |     | 2  | 1            | 2620.63                       |               |  |                     |                     |
|  |     |  | 1            | 2620.89                       |               |  |                     |                     |
|  |     |  | 1            | 2622.38                       |               |  |                     |                     |
|  |     | 3  | 1            | 2620.85                       |               |  |                     |                     |
|  |     |  | 1            | 2622.68                       |               |  |                     |                     |
|  |     |  | 1            | 2621.08                       |               |  |                     |                     |
|  |     | 4  | 1            | 2622.46                       |               |  |                     |                     |
|  |     |  | 1            | 2621.45                       |               |  |                     |                     |
|  |     |  | 1            | 2621.70                       |               |  |                     |                     |
|  |     | 5  | 1            | 2621.03                       |               |  |                     |                     |
|  |     |  | 1            | 2620.68                       |               |  |                     |                     |
|  |     |  | 1            | 2621.08                       |               |  |                     |                     |
| 6  | 1   | 2621.08  |              |                               |               |  |                     |                     |
|  | 1   | 2622.95  |              |                               |               |  |                     |                     |
|  | 1   | 2622.95  |              |                               |               |  |                     |                     |
| 3 - 050 EMBRITTLEMENT<br>23 HOURS  | HRS | 1  | 1            |                               |               | Pass   |                     |                     |
|  |     |  | 2            | 1                             |               | Pass   |                     |                     |
|  |     |  | 3            | 1                             |               | Pass   |                     |                     |
| <b>TEST RESULTS - Continued on next page</b>   |     |  |              |                               |               |  |                     |                     |
| <b>THIS REPORT MUST NOT BE REPRODUCED EXCEPT IN FULL AND RELATES ONLY TO THE ITEMS TESTED</b>  |     |  |              |                               |               |  |                     |                     |
| The product identified on this Certificate has been manufactured, tested and unless otherwise noted, conforms in all respects to the applicable drawings, specifications and standards. Complete reports of physical and chemical tests are on file for examination. If no specified customer quality level is required, goods conform to sellers quality level. All Damages Exceeding Price are Excluded. For items certified to BPS-N-70 alloy verification has been performed on parts with a date of manufacturing on or after January 1, 2001. Quality system sampling plan conforms to the requirement of QAP EQ001, QAP EQ002, QAP EQ003. The recording of false, fictitious, or fraudulent statements or entries on the certificate may be punished as a felony under federal law. |     |  |              |                               |               | <br>ROQUE GARCIA, INTERM QA MANAGER |                     |                     |

This document shall not be reproduced, except in full, without the written approval of AF-SK.

HOWMET GLOBAL FASTENING SYSTEMS INC.

Rev 04/20 Form 11199

SHIPPER#: 9948257476

Howmet Fastening Systems  
Fullerton Operations Plant 1  
800 S.STATE COLLEGE BLVD.  
FULLERTON, CA 92831

NO.

8279307

Page 3 of 3

Lot No.

M092210-000

## TEST REPORT

Supplier Item No.  
AAE280Supplier Part No.  
H14L08

## TEST RESULTS Continued from previous page.

| TEST                | UOM | SAMPLE<br>Number | RESULT<br>Cycle | MINIMUM<br>Value | MAXIMUM<br>Value | PASS/<br>Fail | MINIMUM<br>Requirement | MAXIMUM<br>Requirement |
|---------------------|-----|------------------|-----------------|------------------|------------------|---------------|------------------------|------------------------|
| No. Description     |     |                  |                 |                  |                  |               |                        |                        |
|                     |     | 4                | 1               |                  |                  | Pass          |                        |                        |
|                     |     | 5                | 1               |                  |                  | Pass          |                        |                        |
|                     |     | 6                | 1               |                  |                  | Pass          |                        |                        |
|                     |     | 7                | 1               |                  |                  | Pass          |                        |                        |
|                     |     | 8                | 1               |                  |                  | Pass          |                        |                        |
|                     |     | 9                | 1               |                  |                  | Pass          |                        |                        |
|                     |     | 10               | 1               |                  |                  | Pass          |                        |                        |
| 4 - 110 HARDNESS    | HRC | 1                | 1               | 41.00            | 43.00            |               |                        |                        |
| HRC 40 -44          |     |                  |                 |                  |                  |               |                        |                        |
| 11 - 114 Hardness   | -   | 1                | 1               | (415.00)         | (438.00)         |               |                        |                        |
| 500 GR. KNOOP (KHN) |     |                  |                 |                  |                  |               |                        |                        |

This document shall not be reproduced, except in full, without the written approval of AISR.

## THIS REPORT IS THE PROPERTY OF AISR AND IS NOT TO BE REPRODUCED EXCEPT IN FULL AND RELATES ONLY TO THE ITEMS TESTED

The product identified on this Certificate has been manufactured, tested and unless otherwise noted, conforms in all respects to the applicable drawings, specifications and standards. Complete reports of physical and chemical tests are on file for examination. If no specified customer quality level is required, goods conform to sellers quality level. All Damages Exceeding Price are Excluded. For items certified to BPS-N-70 alloy verification has been performed on parts with a date of manufacturing on or after January 1, 2001. Quality system sampling plan conforms to the requirement of QAP EQ001, QAP EQ002, QAP EQ003. The recording of false, fictitious, or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

ROQUE GARCIA, INTERIM QA MANAGER

HOWMET GLOBAL FASTENING SYSTEMS INC.

Rev 04/20 Form 11198

SHIPPER#: 9948257476

Date Created: Monday, 29 November, 2021 01:29:22 PM

SHIPPER#: 9948257476

**WireTech, Inc.**8440 E. Canning Street  
Los Angeles, CA 90040  
Phone (323) 722-4933  
Fax (323) 721-2738

SOLD TO

Howmet Fastening Systems Fullerton  
800 S. State College Blvd.  
Fullerton, CA 92831  
USAWORK ORDER  
153939

## CERTIFICATION

HEAT NO.  
10708420  
SALES ORDER / RLS  
887391 / 1  
ISO 9001-2008 REGISTEREDMECHANICAL TESTING  
CERT # 811.01

BE24952A

CERT# 911.01

This document shall not be reproduced, except in full, without the written approval of AF5R.

|   |                             |                     |               |                       |                             |
|---|-----------------------------|---------------------|---------------|-----------------------|-----------------------------|
| CUSTOMER P.O.<br>221225857  | CUSTOMER PART<br>gpv_717865 | QUANTITY<br>588 Lbs | CARRIERS<br>1 | LADING NO<br>00160361 | SHIPMENT DATE<br>09/14/2021 |
| <b>SPECIFICATION F218740-102360A</b><br><b>A-8740, AQ, SKFG, CHQ WIRE, SEAM &amp; DECARB FREE, SAIP Zinc Phosphate, Lime &amp; Stearate Coating,</b><br><b>Size: 0.235/0.237 Specifications: AMS 2301K, AMS6322R, MIL-S-6049A AMEND 1 MS 111, REV 8, AMS-S-6049-A</b> |                             |                     |               |                       |                             |
| <b>CERTIFICATION REQUIREMENTS</b>   |                             |                     |               |                       |                             |
| <b>Chemical Properties</b>  |                             |                     |               |                       |                             |
| C<br>.40  | Si<br>.26                   | Mn<br>0.86          | P<br>.007     | S<br>.004             | Cu<br>.08                   |
|   |                             |                     |               |                       | Ni<br>.44                   |
|   |                             |                     |               |                       | Cr<br>.54                   |
|   |                             |                     |               |                       | Mo<br>.22                   |
| <b>Physical Properties</b>  |                             |                     |               |                       |                             |
| Grain Size  | Jominy 1                    | Jominy 2            | Jominy 3      | Inclusions            | Macro                       |
| 6 J5=55   | J8=48                       | J10=45              | 82-R1-C2      | GOOD                  | F&S=0                       |
|   |                             |                     |               |                       | Cleanliness                 |
|   |                             |                     |               |                       | Mill Source                 |
|   |                             |                     |               |                       | Charter                     |
| <b>Country of Origin</b>  |                             |                     |               |                       |                             |
| USA - DFAR Compliant  |                             |                     |               |                       |                             |
| <b>Mechanical Properties</b>  |                             |                     |               |                       |                             |
| <b>TEST</b>   | <b>UNITS</b>                | <b>Results</b>      |               |                       |                             |
| Tensile Strength  | KSI                         | 77.8                |               |                       |                             |
| Yield Strength  | KSI                         | 66.2                |               |                       |                             |
| % Elongation  | %                           | 29.5                |               |                       |                             |
| % Reduction of Area   | %                           | 75.5                |               |                       |                             |
| Decarb (Total)  | In                          | 0.00                |               |                       |                             |
| Rockwell Hardness B Scale   | HRB (s)                     | 82                  |               |                       |                             |

K826  
9-15-21

Merchandise covered by this invoice is warranted to be free from defects in workmanship or material but not for any specific length of time, type or measure of service. No claim for allowance will be recognized unless presented in writing within 10 days after receipt of material. Our maximum liability for any claim predicated upon defective merchandise is limited to replacement of it, or to repayment of it, or to repayment of the purchase price thereof, as we elect. Material out to specific length or size cannot be returned for credit and request for cancellation of such orders will not be considered if manufacture has been commenced. Buyer, by acceptance of the merchandise covered by this invoice, agrees to the foregoing terms and conditions and those set forth on the reverse hereof. The recording of false, fictitious or fraudulent statements or entries on this document may be punished as a felony under Federal statutes including Federal law, Title 18, Chapter 47.

REPRODUCTION OF THIS CERTIFICATION IS NOT ALLOWED UNLESS IN FULL.

WireTech, Inc. metallurgical laboratory is accredited to the following test: chemical analysis per ASTM E 415, mechanical testing per ASTM A 370, Rockwell hardness per ASTM E 18, metallographic mount preparation per ASTM E 3, decarburization depth per ASTM E 1077, F2282, decarburization performed as per F2282.

The reported Chemical and Physical Properties are Mill Source results. Transcribed from mill certificate. HRB(HV) are hardness results performed with a 1/16" carbide ball. Unless otherwise specified, HRB and HRC results are conversions from ASTM A370 tables 1 and 2. \*Test result not covered by our current ASLA accreditation. Tests which have been undertaken by a subcontractor laboratory that is not accredited are not endorsed by WireTech, Inc. ASLA accreditation.

TEST RESULTS RELATE ONLY TO THE ITEMS TESTED.

\*LATEST REVISIONS OF ASTM

DFAR Material per Clauses 252.225-7014 ALT. 1, 252.225-7009, &amp; 225.003(B)

cic302 (v1.1)

page 1 of 1

Eroik Estrada

Quality Manager

Material is free of mercury, radium, or alpha contamination.

All Statements of conformity are based on simple acceptance

SHIPPER#: 9948257476

09/14/2021

DATE



Date Created: Monday, 29 November, 2021 01:29:22 PM

SHIPPER#: 9948257476



**CHARTER  
STEEL**

A Division of  
Charter Manufacturing Company, Inc.

EMAIL

1658 Cold Springs Road  
Saukville, Wisconsin 53080  
(262) 266-2400  
1-800-437-8789  
Fax (262) 266-2570

Melted In USA Manufactured In USA

## CHARTER STEEL TEST REPORT

Wiretech Incorporated  
6440 East Canning Street  
Los Angeles, CA-90040  
Kind Attn : Cert To Contact

|                     |                                |
|---------------------|--------------------------------|
| Cust P.O.           | 8473-2                         |
| Customer Part #     | 8740C1A080-C                   |
| Charter Sales Order | 70102882                       |
| Heat #              | 10708420                       |
| Ship Lot #          | 4687547                        |
| Grade               | 8740 R SK FG AQ 21/84 RND COIL |
| Process             | HRSA                           |
| Finish Size         | 21/84                          |
| Ship date           | 15-MAY-21                      |

I hereby certify that the material described herein has been manufactured in accordance with the specifications and standards listed below and that it satisfies these requirements. The recording of false, fictitious and fraudulent statements or entries on this document may be punishable as a felony under federal statute.

Lab Code: 7388

Test results of Heat Lot # 10708420

| CHEM | C    | MN    | P     | S    | SI   | NI  | CR  | MO  | CU  | SN   | V    |
|------|------|-------|-------|------|------|-----|-----|-----|-----|------|------|
| %WT  | .40  | .88   | .007  | .004 | .280 | .44 | .34 | .22 | .08 | .008 | .002 |
|      | AL   | N     | B     | TI   | NB   |     |     |     |     |      |      |
|      | .027 | .0080 | .0001 | .002 | .001 |     |     |     |     |      |      |

JOMINY(HRC)

|     |     |     |     |     |     |     |    |    |     |     |
|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|
| J1  | J2  | J3  | J4  | J5  | J6  | J7  | J8 | J9 | J10 | J12 |
| 96  | 98  | 96  | 96  | 95  | 92  | 90  | 48 | 47 | 45  | 43  |
| J14 | J16 | J18 | J20 | J24 | J26 | J32 |    |    |     |     |
| 40  | 38  | 37  | 36  | 34  | 32  | 30  |    |    |     |     |

JOMINY SAMPLE TYPE ENGLISH=C

MACTYP=R

MACRO ETCH SURFACE=1

MACRO ETCH RANDOM=1

MACRO ETCH CENTER=1

AMS 2301 FREQUENCY AVERAGE=.00

AMS 2301 SEVERITY AVERAGE=.00

GRAIN SIZE LAB=0358-01

AMS 2301 FREQUENCY INDIVIDUAL=.00

AMS 2301 SEVERITY INDIVIDUAL=.00

MAX. GRAIN SIZE=6

Test results of Rolling Lot # 1318182

REDUCTION RATIO=358:1

|                       |            | Test results of Processing Lot #4684343, 4687547 |           |  |                       |
|-----------------------|------------|--|-----------|--|-----------------------|
| TENSILE (KSI)         | # of Tests | Min Value  | Max Value | Mean Value                             | TENSILE LAB = 0358-07 |
| REDUCTION OF AREA (%) | 2          | 80.2   | 81.1      | 80.6                                   | RA LAB = 0358-07      |
|                       |            | 67   | 68        | 68                                     |                       |
| NUM DECARB=2          |            | FREE FERRITE DECARB (Inch)=.000                  |           | FREE FERR & PARTIAL DECARB (Inch)=.002 |                       |
| NUM SPHERO=2          |            | SPHERODIZATION (%)=83.8                          |           | CP SPHERO % LAB=0358-07                |                       |

Specifications:

Manufactured per Charter Steel Quality Manual Rev Date 05/12/17

Charter Steel certifies this product is indistinguishable from background radiation levels by having process radiation detectors in place to measure for the presence of radiation within our process & products.

Meets customer specifications with any applicable Charter Steel exceptions for the following customer documents:

Customer Document =

|| AMS 8322 rev. R

|| AMS 2301 rev. K

|| COP3010 rev. M

|| BS28147 rev. 1978 CHEM ONLY

Revision = Dated =

Additional Comments:

Melt Source:  
Charter Steel  
Saukville, WI, USA

This MTR supersedes all previously dated MTRs for this order

*D-J-9*

Douglas Jones Division Mgr. of Quality Assurance

jonesdo@chartersteel.com

Printed Date : 05/15/2021

Trip: 1501733

This document shall not be reproduced, except in full, without the written approval of ACSR.

The following statements are applicable to the material described on the front of this Test Report:

1. Except as noted, the steel supplied for this order was melted, rolled, and processed in the United States meeting DFARS compliance, LEEDS compliance, REACH compliance, ROHS-WEEE compliance, and Conflict Materials Restrictions.
2. Mercury was not used during the manufacture of this product, nor was the steel contaminated with mercury during processing.
3. Unless directed by the customer, there are no welds in any of the coils produced for this order.
4. The laboratory that generated the analytical or test results can be identified by the following key:

| Certificate Number | Lab Code | Laboratory                                  | Address  |
|--------------------|----------|---|--|
| 0358-01            | 7388     | CSSM Charter Steel Melting Division         | 1658 Cold Springs Road, Saukville, WI 53080                            |
| 0358-02            | 8171     | CSSR Charter Steel Rolling                  | 1658 Cold Springs Road, Saukville, WI 53080                            |
| 0358-07            | 8171     | CSSP Charter Steel Processing Division      | 1658 Cold Springs Road, Saukville, WI 53080                            |
| 0358-03            | 123633   | CSFP Charter Steel Ohio Processing Division | 6255 US Highway 23, Rising Sun, OH 43457                               |
| 0358-04            | 125544   | CSCM/CSCR Charter Steel Cleveland           | 4300 E. 49th St., Cuyahoga Heights, OH 44125-1004                      |
| *                  | *        | —   | Subcontracted test performed by laboratory not in Charter Steel System |

5. When run by a Charter Steel laboratory, the following tests were performed according to the latest revisions of the specifications listed below, as noted in the Charter Steel Laboratory Quality Manual:

| Test                             | Specifications                 | CSSM | CSSR/<br>CSSP | CSFP | CSCM/<br>CSCR |
|----------------------------------|--------------------------------|------|---------------|------|---------------|
| Chemistry Analysis               | ASTM E415; ASTM E1019          | X    |               |      | X             |
| Macroetch                        | ASTM E381                      | X    |               |      | X             |
| Hardenability (Jominy)           | ASTM A255; SAE J406; JIS G0561 | X    |               |      | X             |
| Grain Size                       | ASTM E112                      | X    | X             | X    | X             |
| Tensile Test                     | ASTM E8; ASTM A370             |      | X             | X    | X             |
| Rockwell Hardness                | ASTM E18; ASTM A370            | X    | X             | X    | X             |
| Microstructure (spheroidization) | ASTM A892                      |      | X             | X    |               |
| Inclusion Content (Methods A, E) | ASTM E45                       |      | X             |      | X             |
| Decarburization                  | ASTM E1077                     |      | X             | X    | X             |

Charter Steel has been accredited to perform all of the above tests by the American Association for Laboratory Accreditation (A2LA). These accreditations expire 01/31/23. All other test results associated with a Charter Steel laboratory that appear on the front of this report, if any, were performed according to documented procedures developed by Charter Steel and are not accredited by A2LA.

6. The test results on the front of this report are the true values measured on the samples taken from the production lot. They do not apply to any other sample.
7. This test report cannot be reproduced or distributed except in full without the written permission of Charter Steel. The primary customer whose name and address appear on the front of this form may reproduce this test report subject to the following restrictions:
  - It may be distributed only to their customers
  - Both sides of all pages must be reproduced in full
8. This certification is given subject to the terms and conditions of sale provided in Charter Steel's acknowledgement (designated by our Sales Order number) to the customer's purchase order. Both order numbers appear on the front page of this Report.
9. Where the customer has provided a specification, the results on the front of this test report conform to that specification unless otherwise noted on this test report.





## **Results of Self-Locking Nut Testing**

**Conducted in accordance with EASA SIB No.:2012 06R2**

**Part No. MS21042L08**

**Boeing Control No.(s) 2021LMJRR9**

**Manufacturer's Lot No. M092210-000**

**Date testing commenced – 14<sup>th</sup> February 2022**

**Date testing completed – 21<sup>th</sup> February 2022**

**Tested by – Richard Moule**

### **Method –**

- 1) Representative sample of 22 nuts withdrawn from stock. Nuts assembled to suitable bolts and spacers to torque value referenced in EASA SIB No.:2012-06R2 Table 1.
- 2) Assembly of Self-Locking Nut, Bolt and Spacer checked post torque application to verify components correctly seated and aligned.
- 3) After 7 days the 22 nut/spacer/bolt disassembled and visual inspection conducted for indications of cracking or damage.
- 4) Evaluate and report results.

### **Equipment used –**

**Norbar Torque Wrench Serial No. 2014/239094**

**Calibration Certificate No. 265334**

**Results - PASS / FAIL -**

**No defects were detected during visual examination of the sample nuts.**

**Signed**

**Boeing stamp No.**



**Date 21<sup>th</sup> February 2022**

### **Limitations**

The opinions expressed in this report are those of the testing engineer, the company does not accept responsibility for any action attributed to this report. The tests are conducted in a controlled environment with experienced engineers but are always subject to uncertainties, the results and the information provided are therefore not absolute.



## Boeing Distribution Services Inc.

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305 925 2600 • Fax: 305 507 7191  
Plant Location: 3760 W 108th Street, Miami, FL 33018 • SITA MIAMMCR  
www.BoeingDistribution.com

Shipped From: NORDPORTBOGEN 6, D-22848 NORDERSTEDT, GERMANY

**Material Certification**


The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to Boeing Distribution Services.

**FIRM: AJ WALTER AVIATION LTD**

**PURCHASE ORDER#: CPE137374**

| QUANTITY U/M | PART-NUMBER | CUST REF#  | LOT-NUMBER  | MANUFACTURER         | CCODE | Eff Date | EXP DATE |
|--------------|-------------|------------|-------------|----------------------|-------|----------|----------|
| 125 EA       | MS21042L08  | MS21042L08 | M092210-000 | HOWMET/ALCOA/ARCONIC | 15653 |          |          |

BDSI CTRL/LOT # :2021LMJRR9

  
Michelle Suggs  
Quality Leader

04/06/22

04/06/22



Boeing Distribution Services Inc.

Tel: +1.305.925.2600 Fax: +1.305.507.7191 www.BoeingDistribution.com  
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001  
Wire Instructions: Boeing Distribution Services INC. JPMorgan Chase Bank New York  
ABA: 021000021 Account: 304639273 SWIFT: CHASUS33 CHIP UID: 0002

INV:KAWM38

PickTkt Number

FYWP34.102

Page 1 of 1


Sold To:

044032  
AJ WALTER AVIATION LTD  
THE HEADQUARTERS  
MAYDWELL AVENUE  
SLINFOLD, RH13 0AS  
Great Britain



Ship To:

AJ WALTER AVIATION LTD  
THE HEADQUARTERS  
MAYDWELL AVENUE  
SLINFOLD, RH13 0AS  
Great Britain

|  |                  |   |                                |                  |                        |
|--|------------------|---|--------------------------------|------------------|------------------------|
| Order No:<br>CPE137374   |                  | Date:<br>04/06/22   | Ship Via:<br>FEDX INTL P1 COLL | Terms:<br>NET 60 | Shipping Terms:<br>FCA |
| Item No:   | Quantity Ordered | Part Number and Description:  |                                | Unit:            | Shipped:               |
|  | 125              | MS21042L08<br>NUT, SELF-LOCKING<br><br>ECCN : EURNL<br>Tariff : 73181660<br>Schedule B : 73181660<br>MFR : HOWMET/ALCOA/ARCONIC 800 S STATE COLLEGE<br>Ctrl# : 2021LMJRR9<br>Lot# : M092210-000<br>Lot Qty : 125<br>Country of Origin : MX<br>Rev# : 3<br>Cust PN: MS21042L08<br>Cage Code: 15653<br>Customer Reference: MS21042L08<br><br><br>CTN: ONOR0000132053 |                                | EA               | 125                    |
| Based on information provided by the respective manufacturer(s) this product contains a Substance of Very High Concern (SVHC), Cadmium, CAS 7440-43-9, as listed on the candidate list, REACH (EC) 1907/2006 (in a concentration above 0.1 % w/w). |                  |   |                                |                  |                        |
| <b>MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC.</b>  |                  |   |                                |                  |                        |
| ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE  |                  |   |                                |                  |                        |

**SHIPPED FROM:** NORDPORTBOGEN 6, NORDERSTEDT, DE D-22848

**MATERIAL CERTIFICATION** : BOEING DISTRIBUTION SERVICES INC. WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. BOEING DISTRIBUTION SERVICES DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF BOEING DISTRIBUTION SERVICES IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY BOEING DISTRIBUTION SERVICES MAY HAVE IN CONNECTION WITH SUCH ITEM. WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL BOEING DISTRIBUTION SERVICES BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER BOEING DISTRIBUTION SERVICES MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER


**PACKING SLIP**

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:

<https://www.boeingdistribution.com/aero/conditions-sale/>

FROM V.190205



  
Michelle Suggs  
Quality Leader

|                             |
|-----------------------------|
| <b>DELIVERY NOTE NUMBER</b> |
| <b>KAWM38</b>               |



Boeing Distribution Services Inc.  
 Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.BoeingDistribution.com  
 Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001  
 Wire Instructions: Boeing Distribution Services Inc. • JPMorgan Chase Bank New York  
 ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

|                       |
|-----------------------|
| <b>INVOICE NUMBER</b> |
| <b>KAWM38</b>         |

**PAGE 1 OF 3**

**SOLD TO:**

044032

AJ WALTER AVIATION LTD  
 THE HEADQUARTERS  
 MAYDWELL AVENUE  
 SLINFOLD RH13 0AS  
 GREAT BRITAIN AND NORTHERN IRELAND

**SHIP TO:**

AJ WALTER AVIATION LTD  
 THE HEADQUARTERS  
 MAYDWELL AVENUE  
 SLINFOLD  
 SLINFOLD RH13 0AS  
 UK

|  |                  |   |                               |        |                 |            |                                   |        |
|--|------------------|---|-------------------------------|--------|-----------------|------------|-----------------------------------|--------|
| ORDER NO.<br>CPE137374   |                  | DATE<br>04/06/22  | SHIP VIA<br>FEDX INTL P1 COLL |        | TERMS<br>NET 60 |            | SHIPPING TERMS<br>FCA-SELLER'S WH |        |
| ITEM NO.   | QUANTITY ORDERED | PART NUMBER AND DESCRIPTION   |                               | PRICE  | UNIT            | BACK ORDER | SHIPPED                           | AMOUNT |
|  | 39               | ABS0368-01<br>RECEPTACLE, FLOATING<br>ECCN :EURNL<br>Country Origin: GERMANY<br>TARIFF: 73269098<br>MFR: SFS INTEC<br>CTRL# : 2021L03142<br>LOT# : 0004164279<br>LOT QTY: 39<br>Country of Origin: GERMANY<br>**REF: ABS0368-01<br>**CUST PN: ABS0368-01<br>**NET WEIGHT 0 LBS / KG                               |                               | 3.1900 | EA              | 0          | 39                                | 124.41 |
|  | 125              | MS21042L08<br>NUT, SELF-LOCKING<br>8-32 SELF-LOCKING NUT, STL DRY LUBE<br>ECCN :EURNL<br>Country Origin: MEXICO<br>TARIFF: 73181660<br>MFR: HOWMET/ALCOA/ARCONIC 800 S STA<br>CTRL# : 2021LMJRR9<br>LOT# : M092210-000<br>LOT QTY: 125<br>Country of Origin: MEXICO<br>**REF: MS21042L08<br>**CUST PN: MS21042L08 |                               | 0.1200 | EA              | 0          | 125                               | 15.00  |
| ***CONTINUED***  |                  |   |                               |        |                 |            |                                   |        |
| MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC. |                  |   |                               |        |                 |            |                                   |        |

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

**SHIPPED FROM:** NORDPORTBOGEN 6, D-22848 NORDERSTEDT, GERMANY

**VAT REGISTERED ADDRESS:** BOEING DISTRIBUTION SERVICES INC 3760 W. 108TH ST, MIAMI, FL 33018

**ORIGINAL INVOICE**

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
<https://www.boeingdistribution.com/aero/conditions-sale/>



## DELIVERY NOTE NUMBER

KAWM38

## INVOICE NUMBER

KAWM38

PAGE 2 OF 3

Boeing Distribution Services Inc.

Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.BoeingDistribution.com

Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001

Wire Instructions: Boeing Distribution Services Inc. • JPMorgan Chase Bank New York  
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

## SOLD TO:

044032

AJ WALTER AVIATION LTD  
THE HEADQUARTERS  
MAYDWELL AVENUE  
SLINFOLD RH13 0AS  
GREAT BRITAIN AND NORTHERN IRELAND

## SHIP TO:

AJ WALTER AVIATION LTD  
THE HEADQUARTERS  
MAYDWELL AVENUE  
SLINFOLD  
SLINFOLD RH13 0AS  
UK

| ORDER NO. |                  | DATE   | SHIP VIA          | TERMS  |      | SHIPPING TERMS  |                 |                      |
|-----------|------------------|--|-------------------|--------|------|-----------------|-----------------|----------------------|
| CPE137374 |                  | 04/06/22   | FEDX INTL P1 COLL | NET 60 |      | FCA-SELLER'S WH |                 |                      |
| ITEM NO.  | QUANTITY ORDERED | PART NUMBER AND DESCRIPTION  |                   | PRICE  | UNIT | BACK ORDER      | SHIPPED         | AMOUNT               |
|           |                  | ** Based on information provided by the respective manufacturer(s) this<br>** product contains a Substance of Very High Concern (SVHC), Cadmium, CAS<br>** 7440-43-9, as listed on the candidate list, REACH (EC) 1907/2006 (in a<br>** concentration above 0,1 % w/w).  |                   |        |      |                 |                 | **<br>**<br>**<br>** |
|           |                  | **NET WEIGHT 0 LBS / KG<br>These items are controlled by the U.S. Government<br>and authorized for export only to the country<br>of ultimate destination for use by the ultimate consignee<br>or end-user(s) herein identified.<br>They may not be resold, transferred, or otherwise disposed of,<br>to any other country or to any person other than the<br>authorized ultimate consignee or end-user(s),<br>either in their original form or after being incorporated<br>into other items, without first obtaining approval from the<br>U.S. government or as otherwise authorized by<br>U.S. law and regulations. |                   |        |      |                 |                 |                      |
|           |                  | VAT exempt export sale according to sec. 4 no. 1 a)  |                   |        |      | German VAT Code |                 |                      |
|           |                  | Shipped from Hamburg, Germany  |                   |        |      |                 |                 |                      |
|           |                  |  |                   |        |      |                 | ***CONTINUED*** |                      |

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC.

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: NORDPORTBOGEN 6, D-22848 NORDERSTEDT, GERMANY

VAT REGISTERED ADDRESS: BOEING DISTRIBUTION SERVICES INC 3760 W. 108TH ST, MIAMI, FL 33018

## ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
<https://www.boeingdistribution.com/aero/conditions-sale/>

